#### **Product datasheet**

#### **AMBIENT**




### 8841213



## AMBIENT LED 1300MM 5200 NW GR.

### Description:

Wall-washing luminaire with direct and indirect light to mount to walls or ceilings model AMBIENT LED 1300MM 5200 NW GR., LAMP brand. Made of satin grey painted aluminium extrusion and glazed polycarbonate diffuser. Model for MID-POWER LED, neutral white colour temperature and control gear included. IP40, IK06 protection rating. Insulation class I.



Finish: Gloss grey

**Dimensions:** 1.300 x 75 x 108 mm **Weight:** 2.992 g

Installation: Wall mounted

## **TECHNICAL SPECIFICATIONS:**

 Light output:
 4.060 lm
 °K:
 4000

 Plum:
 35,1W
 CRI:
 80

 Efficacy:
 115,7 lm/w
 MacAdam:
 3

Type: MID POWER TRIDONIC Power Supply: 220-240V 50/60Hz

LED Lifetime: 50.000 L80 B10 Gear: Electronic

Power: 31W

### Light output tolerance +/- 10%
























+34937366800

Tel.

## **AMBIENT**




8841213

## AMBIENT LED 1300MM 5200 NW GR.

### **PHOTOMETRIC DATA:**

 $8841213 \\ \eta = 100\% \\ Imax = 216 cd/kIm \\ UTE: 0,50D + 0,50T \\ CIE: 56 85 100 50 100$ 



# **AMBIENT**



