## **Product datasheet**


## **KOMBIC 200**

## 9241450

## KOMBIC 200 SQ 4000 IP40 WW OPAL BR/WH

## Description:

Square recessed downlight model KOMBIC 200 SQ 4000 IP40 WW OPAL BR/WH, LAMP brand. Interior diffuser made of opal methacrylate specially for LED and bright metallic reflector, injection aluminium dissipator and TOR KIT type easy-fit fastening system. Model for MID-POWER LED, with warm white colour temperature and control gear included. IP44 protection rating. Insulation class II. Photobiological safety group 0.



Finish: Shiny white RAL 9010

Weight: 822 g

Installation: Recessed

## **TECHNICAL SPECIFICATIONS:**

Light output: 2.024 lm °K: 3000 Plum: 25,4W CRI: 80 Efficacy: 79,7 lm/w MacAdam: 3

Type: MID POWER TRIDONIC Power Supply: 220-240V 50/60Hz

LED Lifetime: 50.000 L80 B10 Gear: Electronic

24W Power:

## Light output tolerance +/- 10%





























## **KOMBIC 200**






9241450

## **PHOTOMETRIC DATA:**





KOMBIC 200 SQ 4000 IP40 WW OPAL BR/WH

	alpha = 90,6°					
/						

_				
	H (m)	D (m)	Emax	Emed
	1	2,02	1077	464
	2	4,04	269	116
	3	6,06	120	52
	4	8,08	67	29

## **Product datasheet**

## **KOMBIC 200**



# ACCESORIES:

# Assembly



Product code: Description:

9000163 DOMO SQ/KOMBIC SQ ACC. REC BOX


## **ACCESORIES:**

# Optical



Product code: Description: Product code: Description:

9006140 DOMO SQ/KOMBIC SQ ACC. TRANSP GLASS WH. 9006142 DOMO SQ/KOMBIC SQ ACC. TRANSP GLASS BK.



Product code: Description: Product code: Description:

9006200 DOMO SQ/KOMBIC SQ ACC. DECO FRAME WH. 9006202 DOMO SQ/KOMBIC SQ ACC. DECO FRAME BK.