


9241521


**KOMBIC 200 RD 5000 IP40 WW OPAL MA/WH****Description:**

Round recessed downlight model KOMBIC 200 RD 5000 IP40 WW OPAL MA/WH, LAMP brand. Interior diffuser made of opal methacrylate specially for LED and matt metallic reflector, injection aluminium dissipator and TOR KIT type easy-fit fastening system. Model for COB LED, with warm white colour temperature and control gear included. IP44 protection rating. Insulation class II.

Finish: Shiny white RAL 9010

Weight: 1.536 g

Installation: Recessed
TECHNICAL SPECIFICATIONS:


Light output:	3.576 lm	°K :	3000
Plum:	39W	CRI :	80
Efficacy:	91,7 lm/w	MacAdam:	3
Type:	COB PHILIPS	Power Supply:	220-240V 50/60Hz
LED Lifetime:	50.000 L70 B10	Gear:	Electronic
Power:	36W		

Light output tolerance +/- 10%


9241521

KOMBIC 200 RD 5000 IP40 WW OPAL MA/WH

PHOTOMETRIC DATA :



ACCESSORIES :

Optical

**Product code:**

8606140

8606143

Description:

DOMO 220/KOMBIC ACC.TRANSF GLASS WH.

DOMO 220/KOMBIC ACC.TRANSF GLASS GR.

**Product code:**

8606142

Description:

DOMO 220/KOMBIC ACC.TRANSF GLASS BK.

**Product code:**


9200210

9200213

Description:

DOMO 220/KOMBIC ACC. DECO RING WH.

DOMO 220/KOMBIC ACC. DECO RING GR.

**Product code:**

9200212

Description:

DOMO 220/KOMBIC ACC. DECO RING BK.

**Product code:**

9200220

Description:

KOMBIC ACC. Ø250 ADAPTER RING WH.

