#### **Product datasheet**

#### **KOMBIC 200**

#### 9241530



## KOMBIC 200 RD 5000 IP40 NW OPAL BR/WH

#### Description:

Round recessed downlight model KOMBIC 200 RD 5000 IP40 NW OPAL BR/WH, LAMP brand. Interior diffuser made of opal methacrylate specially for LED and bright metallic reflector, injection aluminium dissipator and TOR KIT type easy-fit fastening system. Model for COB LED, with neutral white colour temperature and control gear included. IP44 protection rating. Insulation class II.

Shiny white RAL 9010 Finish:

Weight: 1.536 g



Installation: Recessed

## **TECHNICAL SPECIFICATIONS:**

Light output: 4.016 lm °K: 4000 39W Plum: CRI: 80 Efficacy: 103 lm/w MacAdam: 3

Type: COB PHILIPS Power Supply: 220-240V 50/60Hz

LED Lifetime: 50.000 L70 B10 Gear: Electronic

36W Power:

### Light output tolerance +/- 10%
































## **KOMBIC 200**





9241530

## KOMBIC 200 RD 5000 IP40 NW OPAL BR/WH

### **PHOTOMETRIC DATA:**







#### **Product datasheet**

## **KOMBIC 200**



## ACCESORIES:

## Optical



Product code: Description:

8606140 DOMO 220/KOMBIC ACC.TRANSP GLASS WH.
8606143 DOMO 220/KOMBIC ACC.TRANSP GLASS GR.



Product code:

8606142

Description:

DOMO 220/KOMBIC ACC.TRANSP GLASS BK.



Product code:

Description:

9200210 DOMO 220/KOMBIC ACC. DECO RING WH.
9200213 DOMO 220/KOMBIC ACC. DECO RING GR.



Product code:

9200212

Description:

DOMO 220/KOMBIC ACC. DECO RING BK.



Product code:

Description:

9200220 KOMBIC ACC. Ø250 ADAPTER RING WH.

# **KOMBIC 200**



