


9281360

**KOMBIC BRIGHT 3000 NW DALI****Description:**


Round recessed downlight model KOMBIC 3000 NW, LAMP brand. Interior diffuser made of opal polycarbonate specially for LED, injection aluminium dissipator and torkit type easy-fit fastening system. Model for MID-POWER LED, with neutral white colour temperature and control gear included. IP44 protection rating. Insulation class II.

Finish: Shiny white RAL 9010

Weight: 976 g

Installation: Recessed
TECHNICAL SPECIFICATIONS:


Light output:	2.171 lm	°K :	4000
Plum:	18,1W	CRI :	80
Efficacy:	119,9 lm/w		
Type:	MID POWER TRIDONIC	MacAdam:	3
LED Lifetime:	50.000 L80 B10	Power Supply:	220-240V 50/60Hz
Power:	17W	Gear:	Adjustable DALI

Light output tolerance +/- 10%


9281360

KOMBIC BRIGHT 3000 NW DALI

PHOTOMETRIC DATA :



ACCESORIES :

Optical



Product code:

8606140

8606143

Description:

DOMO 220/KOMBIC ACC.TRANSF GLASS WH.

DOMO 220/KOMBIC ACC.TRANSF GLASS GR.



Product code:

8606142

Description:

DOMO 220/KOMBIC ACC.TRANSF GLASS BK.



Product code:


9200210

9200213

Description:

DOMO 220/KOMBIC ACC. DECO RING WH.

DOMO 220/KOMBIC ACC. DECO RING GR.



Product code:

9200212

Description:

DOMO 220/KOMBIC ACC. DECO RING BK.



Product code:

9200220

Description:

KOMBIC ACC. Ø250 ADAPTER RING WH.

