


9281370

**KOMBIC 200 RD 4000 IP40 WW OPAL DA BR/WH****Description:**


Round recessed downlight model KOMBIC 200 RD 4000 IP40 WW OPAL DA BR/WH, LAMP brand. Interior diffuser made of opal polycarbonate specially for LED, injection aluminium dissipator and torkit type easy-fit fastening system. Model for MID-POWER LED, with warm white colour temperature and control gear included. IP44 protection rating. Insulation class II.

Finish: Shiny white RAL 9010

Weight: 976 g

Installation: Recessed
TECHNICAL SPECIFICATIONS:


Light output:	2.800 lm	°K :	3000
Plum:	25,4W	CRI :	80
Efficacy:	110,2 lm/w	MacAdam:	3
Type:	MID POWER TRIDONIC	Power Supply:	220-240V 50/60Hz
LED Lifetime:	50.000 L80 B10	Gear:	Adjustable DALI
Power:	24W		

Light output tolerance +/- 10%


9281370

KOMBIC 200 RD 4000 IP40 WW OPAL DA BR/WH

PHOTOMETRIC DATA :



ACCESORIES :

Optical



Product code:

8606140

8606143

Description:

DOMO 220/KOMBIC ACC.TRANSF GLASS WH.

DOMO 220/KOMBIC ACC.TRANSF GLASS GR.



Product code:

8606142

Description:

DOMO 220/KOMBIC ACC.TRANSF GLASS BK.



Product code:


9200210

9200213

Description:

DOMO 220/KOMBIC ACC. DECO RING WH.

DOMO 220/KOMBIC ACC. DECO RING GR.



Product code:

9200212

Description:

DOMO 220/KOMBIC ACC. DECO RING BK.



Product code:

9200220

Description:

KOMBIC ACC. Ø250 ADAPTER RING WH.