#### **Product datasheet**

### **KOMBIC 200**


#### 9281430



## KOMBIC SQ BRIGHT 3000 WW DALI

#### Description:

Square recessed downlight model KOMBIC SQ 3000 WW, LAMP brand. Interior diffuser made of opal polycarbonate specially for LED, injection aluminium dissipator and torkit type easy-fit fastening system. Model for MID-POWER LED, with warm white colour temperature and control gear included. IP44 protection rating. Insulation class II.



Finish: Shiny white RAL 9010

Weight: 822 g

Installation: Recessed

## **TECHNICAL SPECIFICATIONS:**

Light output: 1.522 lm °K: 3000 Plum: 18,1W CRI: 80 Efficacy: 84,1 lm/w MacAdam: 3

Type: MID POWER TRIDONIC Power Supply: 220-240V 50/60Hz LED Lifetime: 50.000 L80 B10 Gear: Adjustable DALI

17W Power:

## Light output tolerance +/- 10%






























## **KOMBIC 200**





9281430

## KOMBIC SQ BRIGHT 3000 WW DALI

## **PHOTOMETRIC DATA:**







H (m)	D (m)	Emax	Emed	
1	2,02	810	349	
2	4,04	203	87	
3	6,06	90	39	
4	8,08	51	22	

#### **Product datasheet**

## **KOMBIC 200**



# ACCESORIES:

# Assembly



Product code: Description:

9000163 DOMO SQ/KOMBIC SQ ACC. REC BOX


## **ACCESORIES:**

# Optical



Product code: Description: Product code: Description:

9006140 DOMO SQ/KOMBIC SQ ACC. TRANSP GLASS WH. 9006142 DOMO SQ/KOMBIC SQ ACC. TRANSP GLASS BK.



Product code: Description: Product code: Description:

9006200 DOMO SQ/KOMBIC SQ ACC. DECO FRAME WH. 9006202 DOMO SQ/KOMBIC SQ ACC. DECO FRAME BK.