



9281530



KOMBIC 200 RD 5000 IP40 NW OPAL DA BR/WH

Description:**Finish:** Shiny white RAL 9010**Weight:** 1.536 g**Installation:** Recessed**TECHNICAL SPECIFICATIONS:**


Light output:	4.016 lm	°K :	4000
Plum:	39W	CRI :	80
Efficacy:	103 lm/w	MacAdam:	3
Type:	COB PHILIPS	Power Supply:	220-240V 50/60Hz
LED Lifetime:	50.000 L70 B10	Gear:	Adjustable DALI
Power:	36W		

Light output tolerance +/- 10%

9281530

KOMBIC 200 RD 5000 IP40 NW OPAL DA BR/WH

PHOTOMETRIC DATA :



ACCESORIES :

Optical



Product code:

8606140

8606143

Description:

DOMO 220/KOMBIC ACC.TRANSF GLASS WH.

DOMO 220/KOMBIC ACC.TRANSF GLASS GR.



Product code:

8606142

Description:

DOMO 220/KOMBIC ACC.TRANSF GLASS BK.



Product code:


9200210

9200213

Description:

DOMO 220/KOMBIC ACC. DECO RING WH.

DOMO 220/KOMBIC ACC. DECO RING GR.



Product code:

9200212

Description:

DOMO 220/KOMBIC ACC. DECO RING BK.



Product code:

9200220

Description:

KOMBIC ACC. Ø250 ADAPTER RING WH.

