


9441402

**IRON IP65 10000 NW VWFL BK.****Description:**

Suspended industrial luminaire model IRON IP65 10000 NW VWFL BK., LAMP brand. Made of extruded aluminium, with cataphoresis treatment and covers folded gray lacquered steel. Model for MID-POWER LED with neutral white temperature and control gear included. With polycarbonate diffuser high reflection Very Wide Flood . IP65, IK09 protection rating. Insulation class I. Fast connection system.

Finish: CATAPHORESIS**Weight:** 7.702 g**IEE :** A+**Installation:** Surface**TECHNICAL SPECIFICATIONS:**


Light output:	9.053 lm	°K :	4000
Plum:	85W	CRI :	80
Efficacy:	106,5 lm/w	MacAdam:	3
Type:	MID POWER NICHIA	Alimentación:	220-240V 50/60Hz
LED Lifetime:	70.000 L80 B10	Gear:	Electronic
Power:	80W		

**CUSTOM MADE OPTIONS:**

9441402

IRON IP65 10000 NW VWFL BK.

PHOTOMETRIC DATA :



ACCESORIES :

Suspension



Product code:

9601313

9601343

Description:

ACC. QUICK STEEL CABLE 1M NK.

ACC. QUICK STEEL CABLE 4M NK.