Product datasheet

AMBIENT

AM2030DI25OA830NB



	47,5	-	31	11	
80					
	47,5				

AMBIENT G2 IND 300 D/I WW OP/AS BK

Description:

LAMP surface wall mounted fixture AMBIENT G2 IND 300 D/I. Manufactured from extruded aluminum with an 75% recycling rate with Opal diffuser and Asymetric optic . Model for LED MID-POWER, colour temperature 3000K and IRC80. Electronic ON OFF gear included. IP40, IK07 ratings. Insulation Class I. Photobiological safety group 0. LED life time: >72.000 L80B10. Available luminaire body finishes: White and black. Frontal accessory sold separately with the desired finish. White, Black, Raw o Anodised (Gold, Bronze, Champagne, Blue and Black).

Finish:	Matte black RAL 9011
Dimension	is: 300 x 80 x 48 mm

Installation: Wall mounted

TECHNICAL SPECIFICATIONS:

Light output:	1.039 lm	°K :	3000
Plum:	9,6W	CRI :	80
Efficacy:	108,2 lm/w	MacAdam:	3
Туре:	MID POWER	Power Supply:	220-240V 50/60Hz
LED Lifetime:	>72.000 L80B10 (Ta=25°C)	Gear:	Electronic
Power:	8W		

Light output tolerance +/- 10%



CUSTOM MADE OPTIONS:




LAMP reserves the right to change the technical specifications of their products. These changes will allow the continual improvement of the products and will also ensure the conformity to current legal changes. Updated information is always available in our website www.lamp.es Worktitude for light

AMBIENT

AM2030DI25OA830NB

AMBIENT G2 IND 300 D/I WW OP/AS BK





Worktitude for light

Product datasheet

AMBIENT

ACCESORIES :

Assembly



Product code: AM2ACIN030ABK

Description: AMBIENT G2 ACC FRONT IND 300 AN. BLACK

Product code:

AM2ACIN030ABL



Worktitude for light



Product code: AM2ACIN030ABZ





Product code: AM2ACIN030ACH

Description: AMBIENT G2 ACC FRONT IND 300 AN. CHAMP



Product code: AM2ACIN030AGD





Product code: AM2ACIN030ARW

Description: AMBIENT G2 ACC FRONT IND 300 AL RAW



Product code: AM2ACIN030B





Product code: AM2ACIN030W

Description: AMBIENT G2 ACC FRONT IND 300MM WH