Product datasheet

AMBIENT



AM2030DI25OA840DB



AMBIENT G2 IND 300 D/I NW OP/AS DA BK

Description:

LAMP surface wall mounted fixture AMBIENT G2 IND 300 D/l. Manufactured from extruded aluminum with an 75% recycling rate with Opal diffuser and Asymetric optic . Model for LED MID-POWER, colour temperature 4000K and IRC80. Electronic DALI gear included. IP40, IK07 ratings. Insulation Class I. Photobiological safety group 0. LED life time: >72.000 L80B10. Available luminaire body finishes: White and black. Frontal accessory sold separately with the desired finish. White, Black, Raw o Anodised (Gold, Bronze, Champagne, Blue and Black).



Finish: Matte black RAL 9011 300 x 80 x 48 mm Dimensions:

Installation: Wall mounted

TECHNICAL SPECIFICATIONS:

Light output: 1.090 lm °K: 4000 Plum: 9,8W CRI: 80 Efficacy: 111,2 lm/w 3 MacAdam:

Type: MID POWER Power Supply: 220-240V 50/60Hz LED Lifetime: >72.000 L80B10 (Ta=25°C) Gear: Adjustable DALI

8W Power:

Light output tolerance +/- 10%



CLASE

























CUSTOM MADE OPTIONS:









Data according to regulations 2019/2020/EU and 2019/2015/EU













AMBIENT










PHOTOMETRIC DATA:

AM2030DI25OA840DB η = 100% Imax = 319 cd/kIm UTE: 0,48E + 0,53T CIE: 49 81 97 48 100







Data according to regulations 2019/2020/EU and 2019/2015/EU

AMBIENT



ACCESORIES: Assembly



Product code: AM2ACIN030ABK



AMBIENT G2 ACC FRONT IND 300 AN. BLACK



AM2ACIN030ABL

Description: AMBIENT G2 ACC FRONT IND 300 AN. BLUE



Product code: AM2ACIN030ABZ

Description:

AMBIENT G2 ACC FRONT IND 300 AN. BRONZE



Product code: AM2ACIN030ACH

Description: AMBIENT G2 ACC FRONT IND 300 AN. CHAMP



Product code: AM2ACIN030AGD



AMBIENT G2 ACC FRONT IND 300 AN. GOLD



AM2ACIN030ARW

Description: AMBIENT G2 ACC FRONT IND 300 AL RAW



Product code: AM2ACIN030B

Description: AMBIENT G2 ACC FRONT IND 300MM BK



Product code: AM2ACIN030W

Description:

AMBIENT G2 ACC FRONT IND 300MM WH