## **Product datasheet**

#### **AMBIENT**



## AM2030DR25OP830NW




## AMBIENT G2 IND 300 DIR WW OPAL WH

## Description:

LAMP surface wall mounted fixture AMBIENT G2 IND 300 DIR. Manufactured from extruded aluminum with an 75% recycling rate with Opal polycarbonate diffuser. Model for LED MID-POWER, colour temperature 3000K and IRC80. Electronic ON OFF gear included. IP40, IK07 ratings. Insulation Class I. Photobiological safety group 0. LED life time: >72.000 L80B10. Available luminaire body finishes: White and black. Frontal accessory sold separately with the desired finish. White, Black, Raw o Anodised (Gold, Bronze, Champagne, Blue and Black).

Finish: Matte white RAL 9010 300 x 80 x 48 mm Dimensions:

Installation: Wall mounted



## **TECHNICAL SPECIFICATIONS:**

Light output: 495 lm °K: 3000 Plum: 5,3W CRI: 80 Efficacy: 93,4 lm/w 3 MacAdam:

Type: MID POWER Power Supply: 220-240V 50/60Hz

LED Lifetime: >72.000 L80B10 (Ta=25°C) Gear: Electronic

4W Power:

## Light output tolerance +/- 10%































# **CUSTOM MADE OPTIONS:**









Data according to regulations 2019/2020/EU and 2019/2015/EU













## **AMBIENT**










## **PHOTOMETRIC DATA:**

AM2030DR25OP830NW  $\eta$  = 100% Imax = 375 cd/kIm UTE: 1,00E + 0,00T Imax = 498197100100







Data according to regulations 2019/2020/EU and 2019/2015/EU

## **AMBIENT**



**ACCESORIES: Assembly** 



Product code: AM2ACIN030ABK



AMBIENT G2 ACC FRONT IND 300 AN. BLACK



AM2ACIN030ABL

Description:





Product code: AM2ACIN030ABZ

Description: AMBIENT G2 ACC FRONT IND 300 AN. BRONZE



Product code: AM2ACIN030ACH

Description: AMBIENT G2 ACC FRONT IND 300 AN. CHAMP



Product code: AM2ACIN030AGD



AMBIENT G2 ACC FRONT IND 300 AN. GOLD



AM2ACIN030ARW

Description:

AMBIENT G2 ACC FRONT IND 300 AL RAW



Product code: AM2ACIN030B

Description:

AMBIENT G2 ACC FRONT IND 300MM BK



Product code:

AM2ACIN030W

Description:

AMBIENT G2 ACC FRONT IND 300MM WH

Data according to regulations 2019/2020/EU and 2019/2015/EU