Product datasheet

AMBIENT

AM2060DI25OA830DW



	47,5	-	591	-
8				
	17,5			1

AMBIENT G2 IND 600 D/I WW OP/AS DA WH

Description:

LAMP surface wall mounted fixture AMBIENT G2 IND 600 D/I. Manufactured from extruded aluminum with an 75% recycling rate with Opal diffuser and Asymetric optic . Model for LED MID-POWER, colour temperature 3000K and IRC80. Electronic DALI gear included. IP40, IK07 ratings. Insulation Class I. Photobiological safety group 0. LED life time: >72.000 L80B10. Available luminaire body finishes: White and black. Frontal accessory sold separately with the desired finish. White, Black, Raw o Anodised (Gold, Bronze, Champagne, Blue and Black).

Finish:Matte white RAL 9010Dimensions:600 x 80 x 48 mm

Installation: Wall mounted

TECHNICAL SPECIFICATIONS:

Light output:	2.078 lm	°K :	3000
Plum:	18,4W	CRI :	80
Efficacy:	112,9 lm/w	MacAdam:	3
Туре:	MID POWER	Power Supply:	220-240V 50/60Hz
LED Lifetime:	>72.000 L80B10 (Ta=25°C)	Gear:	Adjustable DALI
Power:	16W		

Light output tolerance +/- 10%



CUSTOM MADE OPTIONS:




Worktitude for light

AMBIENT

AM2060DI25OA830DW

AMBIENT G2 IND 600 D/I WW OP/AS DA WH





Worktitude for light

Product datasheet

AMBIENT

ACCESORIES :

Assembly



Product code: AM2ACIN060ABK

Description: AMBIENT G2 ACC FRONT IND 600 AN. BLACK

Product code:

AM2ACIN060ABL

Description: AMBIENT G2 ACC FRONT IND 600 AN. BLUE



Product code: AM2ACIN060ABZ





Product code: AM2ACIN060ACH

Description: AMBIENT G2 ACC FRONT IND 600 AN. CHAMP



Product code: AM2ACIN060AGD





Product code: AM2ACIN060ARW

Description: AMBIENT G2 ACC FRONT IND 600 AL RAW



Product code: AM2ACIN060B





Product code: AM2ACIN060W

Description: AMBIENT G2 ACC FRONT IND 600MM WH

Data according to regulations 2019/2020/EU and 2019/2015/EU