# AMBIENT

## AM2060DIMOOA840DB



### AMBIENT G2 LC 600 D/I NW OP/AS DA BK

#### **Description:**

Dimensions:

LAMP surface wall mounted system AMBIENT G2 LC 600 D/I. Manufactured from extruded aluminum with an 75% recycling rate with Opal polycarbonate diffusers. Model for LED MID-POWER, colour temperature 4000K and IRC80. Electronic DALI gear included. IP40, IK07 ratings. Insulation Class I. Photobiological safety group 0. LED life time: >72.000 L80B10. Available luminaire body finishes: White and black. Frontal accessory sold separately with the desired finish. White, Black, Raw o Anodised (Gold, Bronze, Champagne, Blue and Black).

Finish: Matte black RAL 9011

600 x 80 x 48 mm



Installation: Wall mounted

### **TECHNICAL SPECIFICATIONS:**

Light output:	2.180 lm	⁰К :	4000
Plum:	18,4W	CRI :	80
Efficacy:	118,5 lm/w	MacAdam:	3
Туре:	MID POWER	Power Supply:	220-240V 50/60Hz
LED Lifetime:	>72.000 L80B10 (Ta=25°C)	Gear:	Adjustable DALI
Power:	16W		

### Light output tolerance +/- 10%



## **CUSTOM MADE OPTIONS:**



Worktitude for light


# AMBIENT

AM2060DIMOOA840DB

AMBIENT G2 LC 600 D/I NW OP/AS DA BK



## PHOTOMETRIC DATA :



Worktitude for light

### Product datasheet

# AMBIENT

# ACCESORIES :

## Assembly



Product code: AM2AC060ABK

Description: AMBIENT G2 ACC FRONT END 600 AN. BLACK

Product code: AM2AC060ABL

Description: AMBIENT G2 ACC FRONT END 600 AN. BLUE



Product code: AM2AC060ABZ





Product code: AM2AC060ACH

Description: AMBIENT G2 ACC FRONT END 600 AN. CHAMP



Product code: AM2AC060AGD

Description: AMBIENT G2 ACC FRONT END 600 AN. GOLD



Product code: AM2AC060ARW

Description: AMBIENT G2 ACC FRONT END 600 AL RAW