Product datasheet

AMBIENT



AM2060DR25OP830NB



AMBIENT G2 IND 600 DIR WW OPAL BK

Description:

LAMP surface wall mounted fixture AMBIENT G2 IND 600 DIR. Manufactured from extruded aluminum with an 75% recycling rate with Opal polycarbonate diffuser. Model for LED MID-POWER, colour temperature 3000K and IRC80. Electronic ON OFF gear included. IP40, IK07 ratings. Insulation Class I. Photobiological safety group 0. LED life time: >72.000 L80B10. Available luminaire body finishes: White and black. Frontal accessory sold separately with the desired finish. White, Black, Raw o Anodised (Gold, Bronze, Champagne, Blue and Black).

Finish: Matte black RAL 9011 600 x 80 x 48 mm Dimensions:

Installation: Wall mounted



TECHNICAL SPECIFICATIONS:

Light output: 990 lm °K: 3000 Plum: 9,6W CRI: 80 Efficacy: 103,1 lm/w 3 MacAdam:

Type: MID POWER Power Supply: 220-240V 50/60Hz

LED Lifetime: >72.000 L80B10 (Ta=25°C) Gear: Electronic

8W Power:

Light output tolerance +/- 10%



























CUSTOM MADE OPTIONS:









Data according to regulations 2019/2020/EU and 2019/2015/EU













AMBIENT





AM2060DR25OP830NB


AMBIENT G2 IND 600 DIR WW OPAL BK

PHOTOMETRIC DATA:

AM2060DR25OP830NB $\eta = 100\%$ lmax = 375 cd/klmUTE: 1,00E + 0,00T CIE: 49 81 97 100 100







AMBIENT



ACCESORIES: Assembly



Product code: AM2ACIN060ABK



AMBIENT G2 ACC FRONT IND 600 AN. BLACK



Product code: AM2ACIN060ABL

Description:

AMBIENT G2 ACC FRONT IND 600 AN. BLUE



Product code: AM2ACIN060ABZ

Description: AMBIENT G2 ACC FRONT IND 600 AN. BRONZE



Product code: AM2ACIN060ACH

Description:

AMBIENT G2 ACC FRONT IND 600 AN. CHAMP



Product code: AM2ACIN060AGD

Description: AMBIENT G2 ACC FRONT IND 600 AN. GOLD



Product code: AM2ACIN060ARW

Description:

AMBIENT G2 ACC FRONT IND 600 AL RAW



Product code: AM2ACIN060B

Description:

AMBIENT G2 ACC FRONT IND 600MM BK



Product code:

AM2ACIN060W

Description:

AMBIENT G2 ACC FRONT IND 600MM WH