

AM2060DR25OP840NW



AMBIENT G2 IND 600 DIR NW OPAL WH

Description:


LAMP surface wall mounted fixture AMBIENT G2 IND 600 DIR. Manufactured from extruded aluminum with an 75% recycling rate with Opal polycarbonate diffuser. Model for LED MID-POWER, colour temperature 4000K and IRC80. Electronic ON OFF gear included. IP40, IK07 ratings. Insulation Class I. Photobiological safety group 0. LED life time: >72.000 L80B10. Available luminaire body finishes: White and black. Frontal accessory sold separately with the desired finish. White, Black, Raw o Anodised (Gold, Bronze, Champagne, Blue and Black).

Finish: Matte white RAL 9010


Dimensions: 600 x 80 x 48 mm

Installation: Wall mounted
TECHNICAL SPECIFICATIONS:

Light output:	1.039 lm	°K :	4000
Plum:	9,6W	CRI :	80
Efficacy:	108,2 lm/w	MacAdam:	3
Type:	MID POWER	Power Supply:	220-240V 50/60Hz
LED Lifetime:	>72.000 L80B10 (Ta=25°C)	Gear:	Electronic
Power:	8W		

Light output tolerance +/- 10%
**CUSTOM MADE OPTIONS:**

PHOTOMETRIC DATA :



ACCESORIES :

Assembly

**Product code:**

AM2ACIN060ABK

Description:

AMBIENT G2 ACC FRONT IND 600 AN. BLACK

**Product code:**

AM2ACIN060ABL

Description:

AMBIENT G2 ACC FRONT IND 600 AN. BLUE

**Product code:**

AM2ACIN060ABZ

Description:

AMBIENT G2 ACC FRONT IND 600 AN. BRONZE

**Product code:**

AM2ACIN060ACH

Description:

AMBIENT G2 ACC FRONT IND 600 AN. CHAMP

**Product code:**

AM2ACIN060AGD

Description:

AMBIENT G2 ACC FRONT IND 600 AN. GOLD

**Product code:**

AM2ACIN060ARW

Description:

AMBIENT G2 ACC FRONT IND 600 AL RAW

**Product code:**

AM2ACIN060B

Description:

AMBIENT G2 ACC FRONT IND 600MM BK

**Product code:**

AM2ACIN060W

Description:

AMBIENT G2 ACC FRONT IND 600MM WH