

AM2060DRMOAS830NB

AMBIENT G2 LC 600 DIR WW ASYM BK

Description:

LAMP surface wall mounted system AMBIENT G2 LC 600 DIR. Manufactured from extruded aluminum with an 75% recycling rate with Asymetric polycarbonate optic. Model for LED MID-POWER, colour temperature 3000K and IRC80. Electronic ON OFF gear included. IP40, IK07 ratings. Insulation Class I. Photobiological safety group 0. LED life time: >72.000 L80B10. Available luminaire body finishes: White and black. Frontal accessory sold separately with the desired finish. White, Black, Raw o Anodised (Gold, Bronze, Champagne, Blue and Black).

Finish: Matte black RAL 9011

Dimensions: 600 x 80 x 48 mm



Installation: Wall mounted

TECHNICAL SPECIFICATIONS:

Light output:	1.088 lm	⁰К:	3000
Plum:	9,6W	CRI :	80
Efficacy:	113,3 lm/w	MacAdam:	3
Туре:	MID POWER	Power Supply:	220-240V 50/60Hz
LED Lifetime:	>72.000 L80B10 (Ta=25°C)	Gear:	Electronic
Power:	8W		

Light output tolerance +/- 10%



CUSTOM MADE OPTIONS:




LAMP reserves the right to change the technical specifications of their products. These changes will allow the continual improvement of the products and will also ensure the conformity to current legal changes. Updated information is always available in our website www.lamp.es



AM2060DRMOAS830NB

AMBIENT G2 LC 600 DIR WW ASYM BK

PHOTOMETRIC DATA :





ACCESORIES :

Assembly



Product code: AM2AC060ABK

Description: AMBIENT G2 ACC FRONT END 600 AN. BLACK

Product code: AM2AC060ABL

Description: AMBIENT G2 ACC FRONT END 600 AN. BLUE



Product code: AM2AC060ABZ





Product code: AM2AC060ACH

Description: AMBIENT G2 ACC FRONT END 600 AN. CHAMP





Description: AMBIENT G2 ACC FRONT END 600 AN. GOLD



Product code: AM2AC060ARW

Description: AMBIENT G2 ACC FRONT END 600 AL RAW



Product code: AM2AC060B



Product code: AM2AC060W

Description: AMBIENT G2 ACC FRONT END 600MM WH



AM2ACECB

Product code: Description:

AMBIENT G2 ACC END COVER BK



Product code: AM2ACECW

Description: AMBIENT G2 ACC END COVER WH

+34937366800 Tel. Web www.lamp.es