Product datasheet

AMBIENT

AM2120DI2500840NB



AMBIENT G2 IND 1200 D/I NW OP/OP BK

Description:

Finish:

LAMP surface wall mounted fixture AMBIENT G2 IND 1200 D/I. Manufactured from extruded aluminum with an 75% recycling rate with Opal polycarbonate diffusers. Model for LED MID-POWER, colour temperature 4000K and IRC80. Electronic ON OFF gear included. IP40, IK07 ratings. Insulation Class I. Photobiological safety group 0. LED life time: >72.000 L80B10. Available luminaire body finishes: White and black. Frontal accessory sold separately with the desired finish. White, Black, Raw o Anodised (Gold, Bronze, Champagne, Blue and Black).



Dimensions: 1.200 x 80 x 48 mm

Matte black RAL 9011

Installation: Wall mounted

TECHNICAL SPECIFICATIONS:

Light output:	4.154 lm	°K :	4000
Plum:	34,8W	CRI :	80
Efficacy:	119,4 lm/w	MacAdam:	3
Туре:	MID POWER	Power Supply:	220-240V 50/60Hz
LED Lifetime:	>72.000 L80B10 (Ta=25°C)	Gear:	Electronic
Power:	32W		

Light output tolerance +/- 10%



CUSTOM MADE OPTIONS:




LAMP reserves the right to change the technical specifications of their products. These changes will allow the continual improvement of the products and will also ensure the conformity to current legal changes. Updated information is always available in our website www.lamp.es Worktitude for light

AMBIENT

AM2120DI2500840NB

AMBIENT G2 IND 1200 D/I NW OP/OP BK





Worktitude for light

Product datasheet

AMBIENT

ACCESORIES :

Assembly



Product code: AM2ACIN120ABK

Description: AMBIENT G2 ACC FRONT IND 1200 AN. BLACK

Product code: AM2ACIN120ABL

Description: AMBIENT G2 ACC FRONT IND 1200 AN. BLUE

Worktitude for light



Product code: AM2ACIN120ABZ

Description: AMBIENT G2 ACC FRONT IND 1200 AN. BRONZE



Product code: AM2ACIN120ACH

Description: AMBIENT G2 ACC FRONT IND 1200 AN. CHAMP



Product code: AM2ACIN120AGD



Product code: AM2ACIN120ARW

Description: AMBIENT G2 ACC FRONT IND 1200 AL RAW



Product code: AM2ACIN120B





Product code: AM2ACIN120W

Description: AMBIENT G2 ACC FRONT IND 1200MM WH