

AM2120DIMOOO8TWDW



AMBIENT G2 LC 1200 D/I TW OP/OP DA WH

Description:

LAMP surface wall mounted system AMBIENT G2 LC 1200 D/I. Manufactured from extruded aluminum with an 75% recycling rate with Opal polycarbonate diffusers. Model for LED MID-POWER, colour temperature Tunnable White and IRC80. Electronic DALI gear included. IP40, IK07 ratings. Insulation Class I. Photobiological safety group 0. LED life time: 50.000 L90B10. Available luminaire body finishes: White and black. Frontal accessory sold separately with the desired finish. White, Black, Raw o Anodised (Gold, Bronze, Champagne, Blue and Black).

Finish: Matte white RAL 9010

Dimensions: 1.200 x 80 x 48 mm




Installation: Wall mounted

TECHNICAL SPECIFICATIONS:

Light output:	3.964 lm	°K :	TUNNABLE WHI
Plum:	31,9W	CRI :	80
Efficacy:	124,3 lm/w	MacAdam:	3
Type:	MID POWER	Power Supply:	220-240V 50/60Hz
LED Lifetime:	50.000 L90B10 (Ta=25°C)	Gear:	Adjustable DALI
Power:	28W		


Light output tolerance +/- 10%

**CUSTOM MADE OPTIONS:**

AM2120DIMOOO8TWDW

AMBIENT G2 LC 1200 D/I TW OP/OP DA WH

PHOTOMETRIC DATA :



ACCESORIES :**Assembly****Product code:**

AM2AC120ABK

Description:

AMBIENT G2 ACC FRONT INT 1200 AN. BLACK

**Product code:**

AM2AC120ABL

Description:

AMBIENT G2 ACC FRONT INT 1200 AN. BLUE

**Product code:**

AM2AC120ABZ

Description:

AMBIENT G2 ACC FRONT INT 1200 AN. BRONZE

**Product code:**

AM2AC120ACH

Description:

AMBIENT G2 ACC FRONT INT 1200 AN. CHAMP

**Product code:**

AM2AC120AGD

Description:

AMBIENT G2 ACC FRONT INT 1200 AN. GOLD

**Product code:**

AM2AC120ARW

Description:

AMBIENT G2 ACC FRONT INT 1200 AL RAW

**Product code:**

AM2AC120B

Description:

AMBIENT G2 ACC FRONT INT 1200MM BK

**Product code:**

AM2AC120W

Description:

AMBIENT G2 ACC FRONT INT 1200MM WH

**Product code:**

AM2ACECB

Description:

AMBIENT G2 ACC END COVER BK

**Product code:**

AM2ACECW

Description:

AMBIENT G2 ACC END COVER WH