Product datasheet

AMBIENT



AM2120DR25GZ830DB



AMBIENT G2 IND 1200 DIR WW GRAZER DA BK

Description:

LAMP surface wall mounted fixture AMBIENT G2 IND 1200 DIR. Manufactured from extruded aluminum with an 75% recycling rate with Grazer polycarbonate optic. Model for LED MID-POWER, colour temperature 3000K and IRC80. Electronic DALI gear included. IP40, IK07 ratings. Insulation Class I. Photobiological safety group 0. LED life time: 63.000 L90B10. Available luminaire body finishes: White and black. Frontal accessory sold separately with the desired finish. White, Black, Raw o Anodised (Gold, Bronze, Champagne, Blue and Black).



Finish: Matte black RAL 9011 1.200 x 80 x 48 mm Dimensions:

Installation: Wall mounted

TECHNICAL SPECIFICATIONS:

Light output: 3.980 lm °K: 3000 Plum: 29,6W CRI: 80 Efficacy: 134,5 lm/w 3 MacAdam:

Type: MID POWER Power Supply: 220-240V 50/60Hz LED Lifetime: 63.000 L90B10 (Ta=25°C) Gear: Adjustable DALI

Power: 26W

Light output tolerance +/- 10%



CLASE



































Data according to regulations 2019/2020/EU and 2019/2015/EU













AMBIENT






AM2120DR25GZ830DB


AMBIENT G2 IND 1200 DIR WW GRAZER DA BK


PHOTOMETRIC DATA:


AM2120DR25GZ830DB $\eta = 100\%$ Imax = 821 cd/klm UTE: 1,00T

CIE: 28 28 28 0 100









AMBIENT



ACCESORIES: Assembly



Product code: AM2ACIN120ABK



AMBIENT G2 ACC FRONT IND 1200 AN. BLACK



AM2ACIN120ABL

Description: AMBIENT G2 ACC FRONT IND 1200 AN. BLUE



Product code: AM2ACIN120ABZ

Description: Product code:

AMBIENT G2 ACC FRONT IND 1200 AN. BRONZE



AM2ACIN120ACH

Description: AMBIENT G2 ACC FRONT IND 1200 AN. CHAMP



Product code: AM2ACIN120AGD



AMBIENT G2 ACC FRONT IND 1200 AN. GOLD



AM2ACIN120ARW

Description:

AMBIENT G2 ACC FRONT IND 1200 AL RAW



Product code: AM2ACIN120B

Description:

AMBIENT G2 ACC FRONT IND 1200MM BK



Product code:

AM2ACIN120W

Description:

AMBIENT G2 ACC FRONT IND 1200MM WH

Data according to regulations 2019/2020/EU and 2019/2015/EU