LAMP
Worktitude for light

AM2120DRMOOP840DW

AMBIENT G2 LC 1200 DIR NW OPAL DA WH

Description:

LAMP surface wall mounted system AMBIENT G2 LC 1200 DIR. Manufactured from extruded aluminum with an 75% recycling rate with Opal polycarbonate diffusers. Model for LED MID-POWER, colour temperature 4000K and IRC80. Electronic DALI gear included. IP40, IK07 ratings. Insulation Class I. Photobiological safety group 0. LED life time: >72.000 L80B10. Available luminaire body finishes: White and black. Frontal accessory sold separately with the desired finish. White, Black, Raw o Anodised (Gold, Bronze, Champagne, Blue and Black).

Finish: Matte white RAL 9010

Dimensions: 1.200 x 80 x 48 mm

47,5   1126
80
47,5

Installation: Wall mounted

TECHNICAL SPECIFICATIONS:

Light output:	2.077 lm	**ºK :**	4000
Plum:	18,4W	**CRI :**	80
Efficacy:	112,9 lm/w	**MacAdam:**	3
Type:	MID POWER	**Power Supply:**	220-240V 50/60Hz
LED Lifetime:	>72.000 L80B10 (Ta=25ºC)	**Gear:**	Adjustable DALI
Power:	16W		

Light output tolerance +/- 10%

Al ♻	CLASE I	IK 07	IP 40	LED 4000ºK	PC diffuser	850º

CE	GARANTÍA WARRANTY GARANTIE 5	Group 0 ◉ En 62471

CUSTOM MADE OPTIONS:

1-10V	◖	✳	CRI	↑lm	L	DALI	PUSH	K	WB

LAMP reserves the right to change the technical specifications of their products. These changes will allow the continual improvement of the products and will also ensure the conformity to current legal changes. Updated information is always available in our website www.lamp.es

Data according to regulations 2019/2020/EU and 2019/2015/EU

**AM2120DRMOOP840DW**   **AMBIENT G2 LC 1200 DIR NW OPAL DA WH**

PHOTOMETRIC DATA :

AM2120DRMOOP840DW

η = 100%

Imax = 375 cd/klm

UTE: 1,00E + 0,00T

CIE: 49 81 97 100 100

alpha = 102,1º

BACK   FRONT

50,0 %   50,0 %

Tel.   +34937366800

Web   www.lamp.es

LAMP reserves the right to change the technical specifications of their products. These changes will allow the continual improvement of the products and will also ensure the conformity to current legal changes. Updated information is always available in our website www.lamp.es

13-05-2025

Pág.   2 / 3

Data according to regulations 2019/2020/EU and 2019/2015/EU

ACCESORIES :

Assembly

Product code:

AM2AC120ABK

Description:

AMBIENT G2 ACC FRONT INT 1200 AN. BLACK

Product code:

AM2AC120ABL

Description:

AMBIENT G2 ACC FRONT INT 1200 AN. BLUE

Product code:

AM2AC120ABZ

Description:

AMBIENT G2 ACC FRONT INT 1200 AN. BRONZE

Product code:

AM2AC120ACH

Description:

AMBIENT G2 ACC FRONT INT 1200 AN. CHAMP

Product code:

AM2AC120AGD

Description:

AMBIENT G2 ACC FRONT INT 1200 AN. GOLD

Product code:

AM2AC120ARW

Description:

AMBIENT G2 ACC FRONT INT 1200 AL RAW

Product code:

AM2AC120B

Description:

AMBIENT G2 ACC FRONT INT 1200MM BK

Product code:

AM2AC120W

Description:

AMBIENT G2 ACC FRONT INT 1200MM WH

Product code:

AM2ACECB

Description:

AMBIENT G2 ACC END COVER BK

Product code:

AM2ACECW

Description:

AMBIENT G2 ACC END COVER WH

Tel.   +34937366800

Web www.lamp.es

LAMP reserves the right to change the technical specifications of their products. These changes will allow the continual improvement of the products and will also ensure the conformity to current legal changes. Updated information is always available in our website www.lamp.es

Data according to regulations 2019/2020/EU and 2019/2015/EU

13-05-2025

Pág.   3 / 3