

## AM2120DS25OA830NW



## AMBIENT G2 IND 1200 D/I D WW OP/AS W

**Description:**


LAMP surface wall mounted fixture AMBIENT G2 IND 1200 D/I Double Switch. Manufactured from extruded aluminum with an 75% recycling rate with Opal diffuser and Asymetric optic . Model for LED MID-POWER, colour temperature 3000K and IRC80. Electronic ON OFF gear included. IP40, IK07 ratings. Insulation Class I. Photobiological safety group 0. LED life time: >72.000 L80B10. Available luminaire body finishes: White and black. Frontal accessory sold separately with the desired finish. White, Black, Raw o Anodised (Gold, Bronze, Champagne, Blue and Black).

**Finish:** Matte white RAL 9010


**Dimensions:** 1.200 x 80 x 48 mm

**Installation:** Wall mounted
**TECHNICAL SPECIFICATIONS:**

<b>Light output:</b>	4.156 lm	<b>°K :</b>	3000
<b>Plum:</b>	34,8W	<b>CRI :</b>	80
<b>Efficacy:</b>	119,4 lm/w	<b>MacAdam:</b>	3
<b>Type:</b>	MID POWER	<b>Power Supply:</b>	220-240V 50/60Hz
<b>LED Lifetime:</b>	>72.000 L80B10 (Ta=25°C)	<b>Gear:</b>	Electronic
<b>Power:</b>	32W		


*Light output tolerance +/- 10%*
**CUSTOM MADE OPTIONS:**

PHOTOMETRIC DATA :



**ACCESORIES :**

**Assembly**




**Product code:**

AM2ACIN120ABK

**Description:**

AMBIENT G2 ACC FRONT IND 1200 AN. BLACK




**Product code:**

AM2ACIN120ABL

**Description:**

AMBIENT G2 ACC FRONT IND 1200 AN. BLUE



**Product code:**

AM2ACIN120ABZ

**Description:**

AMBIENT G2 ACC FRONT IND 1200 AN. BRONZE




**Product code:**

AM2ACIN120ACH

**Description:**

AMBIENT G2 ACC FRONT IND 1200 AN. CHAMP




**Product code:**

AM2ACIN120AGD

**Description:**

AMBIENT G2 ACC FRONT IND 1200 AN. GOLD




**Product code:**

AM2ACIN120ARW

**Description:**

AMBIENT G2 ACC FRONT IND 1200 AL RAW




**Product code:**

AM2ACIN120B

**Description:**

AMBIENT G2 ACC FRONT IND 1200MM BK



**Product code:**

AM2ACIN120W

**Description:**

AMBIENT G2 ACC FRONT IND 1200MM WH