

B-SIDE LED

BS1DB4505840NA



B-SIDE LED 450 500 NW ANT.

Description:

Bollard model B-SIDE LED 450 500, LAMP brand. Made in extruded recycled aluminum with a rate of 82,3% and injection, and translucent polycarbonate diffuser. 450mm in height. Its base has an anti-corrosion electro coating treatment. Model for HI-POWER LED, with 4000K colour temperature, CRI 80 and control gear included. IP65, IK10 protection rating. Insulation class I. Lifetime: 50. 000 L90. BUG Rate: B0 U1 G0, ULOR: 2,3%. Available finishes: anthracite and textured grey.

Finish: Textured anthracite


Dimensions: Ø 160 mm x 450 mm

Weight: 2.450 g

Installation: Standing

TECHNICAL SPECIFICATIONS:

| | | | |
|----------------------|----------------------|----------------------|------------------|
| Light output: | 130 lm | °K : | 4000 |
| Plum: | 6,4W | CRI : | 80 |
| Efficacy: | 20,3 lm/w | MacAdam: | 4 |
| Type: | HIGH POWER LED | Power Supply: | 110-240V 50/60Hz |
| LED Lifetime: | 50.000 L90 (Ta=25°C) | Gear: | Electronic |
| Power: | 4.8W | | |

Light output tolerance +/- 10%


CUSTOM MADE OPTIONS:



B-SIDE LED

BS1DB4505840NA

B-SIDE LED 450 500 NW ANT.

PHOTOMETRIC DATA :

