


B-SIDE LED

BS1RD2510840NG



B-SIDE 360° LED 250 1000 NW GR.

Description:

Bollard model B-SIDE 360° LED 250 1000, LAMP brand. Made in extruded recycled aluminum with a rate of 80% and injection, and translucent polycarbonate diffuser. 250mm in height. Its base has an anti-corrosion electro coating treatment. Model for COB LED, with 4000K colour temperature, CRI 80 and control gear included. IP65, IK06 protection rating. Insulation class I. Lifetime: 50.000 L90 B10. Available finishes: anthracite and textured grey.

Finish: Texturised grey

Dimensions: Ø 160 mm x 250 mm

Weight: 3.620 g

Installation: Standing

TECHNICAL SPECIFICATIONS:

Light output:	423 lm	°K :	4000
Plum:	10,1W	CRI :	80
Efficacy:	41,8 lm/w	MacAdam:	3
Type:	COB PHILIPS	Power Supply:	220-240V 50/60Hz
LED Lifetime:	50.000 L90 B10 (Ta=25°C)	Gear:	Electronic
Power:	8W		

Light output tolerance +/- 10%


CUSTOM MADE OPTIONS:




B-SIDE LED

BS1RD2510840NG


B-SIDE 360° LED 250 1000 NW GR.

PHOTOMETRIC DATA :



ACCESORIES :

Optical



Product code:

BSSC180B

Description:

B-SIDE ACC. 180° SCREEN 56MM