# **B-SIDE LED**

# Worktitude for light


# BS1RD8510840NG



# B-SIDE 360° LED 850 1000 NW GR.

# Description:

Bollard model B-SIDE 360° LED 850 1000, LAMP brand. Made in extruded recycled aluminum with a rate of 80% and injection, and translucent polycarbonate diffuser. 850mm in height. Its base has an anti-corrosion electro coating treatment. Model for COB LED, with 4000K colour temperature, CRI 80 and control gear included. IP65, IK06 protection rating. Insulation class I. Lifetime: 50.000 L90 B10. Available finishes: anthracite and textured grey.



Finish: Texturised grey

Dimensions: Ø 160 mm x 850 mm Weight: 4.384 g

Installation: Standing

# **TECHNICAL SPECIFICATIONS:**

 Light output:
 423 lm
 °K:
 4000

 Plum:
 10,1W
 CRI:
 80

 Efficacy:
 41,8 lm/w
 MacAdam:
 3

Type: COB PHILIPS Power Supply: 220-240V 50/60Hz

LED Lifetime: 50.000 L90 B10 (Ta=25°C) Gear: Electronic

Power: 8W

# Light output tolerance +/- 10%





















# **CUSTOM MADE OPTIONS:**









Data according to regulations 2019/2020/EU and 2019/2015/EU

















# **B-SIDE LED**






B-SIDE 360° LED 850 1000 NW GR.

# **PHOTOMETRIC DATA:**

5841303 η = 100% Imax = 3146 cd/klm UTE: 1,00A + 0,00T CIE: 94 98 100 100 100



# **Product datasheet**

# **B-SIDE LED**



ACCESORIES:

Optical



Product code:

BSSC180B B-SIDE ACC. 180° SCREEN 56MM

Description: