#### **Product datasheet**

## **DOMO 220**




## DO2RD30SY840NW



## **DOMO 220 G2 3000 NW**

## Description:

Round recessed DOMO 220 G2 3000 downlight, LAMP brand. With external ring in white lacquered die-cast aluminium. Model for MID-POWER LED, 4000K colour temperature and control gear included. Reflector designed by the optical concept named REDIL® (Direct Emission LED Reflector), which consists of a two-phase reflection. Insulation class II. Lifetime: 50.000 L90 B10



Finish: Matte white RAL 9010

Weight: 1.510 g

Installation: Recessed

## **TECHNICAL SPECIFICATIONS:**

Light output: 2.938 Im °K: 4000 Plum: 32W CRI: 80 Efficacy: 91,8 lm/w 3 MacAdam:

Type: MID POWER LED Power Supply: 120-240V 50/60Hz

LED Lifetime: 50.000 L90 B10 (Ta=25°C) Gear: Electronic

29W Power:

## Light output tolerance +/- 10%





















**CUSTOM MADE OPTIONS:** 









Data according to regulations 2019/2020/EU and 2019/2015/EU


















## **DOMO 220**





DO2RD30SY840NW

## **DOMO 220 G2 3000 NW**

## **PHOTOMETRIC DATA:**







H (m)	D (m)	Emax	Emed
1	1,38	2263	1321
2	2,76	566	330
3	4,13	251	147
4	5,51	141	83

## **DOMO 220**



## **ACCESORIES:**

## Optical



Product code:

8606130

#### Description:

DOMO 220 G2 ACC. INT OPAL DIFFUSER



Product code:

DIOPRD240W

Description: DIOPRD240G DOMO 220 ACC. OPAL GLASS GR.

DOMO 220 ACC. OPAL GLASS WH.



Product code:

Description:

DITRRD240B DOMO 220/KOMBIC ACC.TRANSP GLASS BK.



Product code:

Description:

DITRRD240G DITRRD240W DOMO 220/KOMBIC ACC.TRANSP GLASS GR. DOMO 220/KOMBIC ACC.TRANSP GLASS WH.



Product code: RIRD240B

Description:

DOMO 220/KOMBIC ACC. DECO RING BK.



Product code:

Description:

RIRD240G DOMO 220/KOMBIC ACC. DECO RING GR. RIRD240W DOMO 220/KOMBIC ACC. DECO RING WH.

Data according to regulations 2019/2020/EU and 2019/2015/EU

# **DOMO 220**



