Product datasheet

FIL35

F31RE112MOOC830NB

_

Description:





Finish: Matte black RAL 9011

FIL35 REC 1120 2960 WW OP COMF BK.

Installation: Recessed

TECHNICAL SPECIFICATIONS:

| Light output: | 1.571 lm | ⁰K : | 3000 |
|---------------|--------------------------|---------------|------------------|
| Plum: | 18W | CRI : | 80 |
| Efficacy: | 87,3 lm/w | MacAdam: | 3 |
| UGR: | <19 | Power Supply: | 220-240V 50/60Hz |
| Туре: | MID POWER LED | Gear: | Electronic |
| LED Lifetime: | 70.000 L80 B10 (Ta=25⁰C) | | |
| Power: | 16W | | |

Light output tolerance +/- 10%

EPD


Product datasheet

FIL35

F31RE112MOOC830NB

FIL35 REC 1120 2960 WW OP COMF BK.







Product datasheet

FIL35

ACCESORIES :

Assembly



Product code: F3COX/MMB

Description: FIL 35 ACC. COVER X/MM BK.



Product code: F3COX/MMG

Description: FIL 35 ACC. COVER X/MM GR.



Product code: F3COX/MMW Description: FIL 35 ACC. COVER X/MM WH.



Worktitude for light