



F31SF112LOIO840NG

**FIL35 SUR 1120 1600 NW D/I OPAL GR.****Description:**


Suspended structure model FIL35 SUR 1120 D/I LAMP brand. Made in extruded recycled aluminum with a rate of 80%, with an opal comfort diffuser made of a translucent polycarbonate diffuser and an optical film to achieve a controlled light distribution and low glare level, less than UGR 19. Model for LED MID-POWER, colour temperature 4000K with CRI80 and with electronic wiring included. With IP20, IK07 protection rating. Insulation Class I. Photobiological safety group 0. LED lifetime: 50.000 L90 B10. Available finishes: White, black and grey.

**Finish:** Gloss grey**Dimensions:** 1.120 x 35 x 80 mm**Weight:** 2.650 g**Installation:** Suspended**TECHNICAL SPECIFICATIONS:**

<b>Light output:</b>	2.364 lm	<b>°K :</b>	4000
<b>Plum:</b>	23,4W	<b>CRI :</b>	80
<b>Efficacy:</b>	101 lm/w	<b>MacAdam:</b>	3
<b>Type:</b>	MID POWER LED	<b>Power Supply:</b>	220-240V 50/60Hz
<b>LED Lifetime:</b>	50.000 L90 B10 (Ta=25°C)	<b>Gear:</b>	Electronic
<b>Power:</b>	18W		

**Light output tolerance +/- 10%****CUSTOM MADE OPTIONS:**

PHOTOMETRIC DATA :



---

**ACCESSORIES :**
**Assembly****Product code:**

F3COX/MMB

**Description:**


FIL 35 ACC. COVER X/MM BK.

**Product code:**

F3COX/MMG

**Description:**


FIL 35 ACC. COVER X/MM GR.

**Product code:**

F3COX/MMW

**Description:**

FIL 35 ACC. COVER X/MM WH.

**Product code:**

F3JO

**Description:**


FIL35 ACC. INTM JOINT B

**Product code:**

F3PRSUX/MMB

**Description:**


FIL 35 ACC. SUS PROFIL X/MM BK.

**Product code:**

F3PRSUX/MMG

**Description:**

FIL 35 ACC. SUS PROFIL X/MM GR.

**Product code:**

F3PRSUX/MMW

**Description:**

FIL 35 ACC. SUS PROFIL X/MM WH.

**Product code:**

F3SUECB

**Description:**

FIL35 ACC. SUR END COVER BK.

**Product code:**

F3SUECG

**Description:**

FIL35 ACC. SUR END COVER GR.

**Product code:**

F3SUECW

**Description:**

FIL35 ACC. SUR END COVER WH.

---

**ACCESSORIES :**
**Suspension**

## FIL35



**Product code:**

F3SUCAEMFA1000NB

F3SUCAEMFA4000NB

**Description:**

ACC. ELECMEC FIL35 QUICK SUSP 1M BK.

ACC. ELECMEC FIL35 QUICK SUSP 4M BK.



**Product code:**

F3SUCAEMFA1000NG

F3SUCAEMFA4000NG

**Description:**

ACC. ELECMEC FIL35 QUICK SUSP 1M GR.

ACC. ELECMEC FIL35 QUICK SUSP 4M GR.



**Product code:**

F3SUCAEMFA1000NW

F3SUCAEMFA4000NW

**Description:**

ACC. ELECMEC FIL35 QUICK SUSP 1M WH.

ACC. ELECMEC FIL35 QUICK SUSP 4M WH.



**Product code:**

F3SUCAWI1000DB

F3SUCAWI4000DB

**Description:**

ACC. ELECMEC FIL35 QUICK SUSP 1M 5P BK.

ACC. ELECMEC FIL35 QUICK SUSP 4M 5P BK.



**Product code:**

F3SUCAWI1000DG

F3SUCAWI4000DG

**Description:**

ACC. ELECMEC FIL35 QUICK SUSP 1M 5P GR.

ACC. ELECMEC FIL35 QUICK SUSP 4M 5P GR.



**Product code:**

F3SUCAWI1000DW

F3SUCAWI4000DW

**Description:**

ACC. ELECMEC FIL35 QUICK SUSP 1M 5P WH.

ACC. ELECMEC FIL35 QUICK SUSP 4M 5P WH.



**Product code:**

F3SUWIDE1000G

**Description:**

FIL35 ACC. QUICK STEEL CABLE 1M NK.



**Product code:**


F3SUWIDE4000G

**Description:**

FIL35 ACC. QUICK STEEL CABLE 4M NK.

### ACCESSORIES :

#### Optical



**Product code:**

F3DIX/MMOP

**Description:**

FIL 35 ACC. OPAL DIFFUSER X/MM