#### **Product datasheet**

#### FIL35



### F31SF196LOOC840NW



## FIL35 SUR 1960 2800 NW OP COMF WH.

### Description:

Suspended or mounted structure model FIL35 SUR 1960 2800 NW OPAL COMF WH., LAMP brand. Made of extruded aluminium painted in matt white with and opal comfort diffuser made of a translucent polycarbonate diffuser and an optical film to achieve a controlled light distribution and low glare level, less than UGR 19. Model for LED MID-POWER, neutral white color temperature and control gear included. With IP20, IK07 protection rating. Insulation class I. Photobiological safety group 0.

Finish: Matte white RAL 9010

Dimensions: 1.960 x 35 x 80 mm

Installation: Surface

### **TECHNICAL SPECIFICATIONS:**

 Light output:
 1.946 lm
 °K:
 4000

 Plum:
 18.9W
 CRI:
 80

 Efficacy:
 103 lm/w
 MacAdam:
 3

**UGR**: 19

Type: MID POWER TRIDONIC Gear: Electronic

LED Lifetime: 50.000 L90 B10 (Ta=25°C)

Power: 19W

Light output tolerance +/- 10%

## **CUSTOM MADE OPTIONS:**



















Power Supply:





220-240V 50/60Hz






## F31SF196LOOC840NW





## FIL35 SUR 1960 2800 NW OP COMF WH.


### **PHOTOMETRIC DATA:**

F31SF196LOOC840NW η = 99% Imax = 693 cd/klm UTE: 0,99C









### **Product datasheet**

### FIL35



ACCESORIES:

# Assembly



Product code:

F3COX/MMB



FIL 35 ACC. COVER X/MM BK.



Product code:

F3COX/MMG



FIL 35 ACC. COVER X/MM GR.



Product code:

F3COX/MMW



FIL 35 ACC. COVER X/MM WH.



Product code:

F3SUECB

Description:

FIL35 ACC. SUR END COVER BK.



Product code:

F3SUECG

Description:

FIL35 ACC. SUR END COVER GR.



Product code:

F3SUECW

Description:

FIL35 ACC. SUR END COVER WH.



### Suspension



Product code:

F3SUCAEMFA1000NB F3SUCAEMFA4000NB

# Description:

ACC. ELECMEC FIL35 QUICK SUSP 1M BK.
ACC. ELECMEC FIL35 QUICK SUSP 4M BK.



Product code:

F3SUCAEMFA1000NG F3SUCAEMFA4000NG

# Description:

ACC. ELECMEC FIL35 QUICK SUSP 1M GR.
ACC. ELECMEC FIL35 QUICK SUSP 4M GR.

### **Product datasheet**

### FIL35





F3SUCAEMFA1000NW F3SUCAEMFA4000NW

## Description:

ACC. ELECMEC FIL35 QUICK SUSP 1M WH. ACC. ELECMEC FIL35 QUICK SUSP 4M WH.



Product code: F3SUCAWI1000DB F3SUCAWI4000DB

### Description:

ACC. ELECMEC FIL35 QUICK SUSP 1M 5P BK. ACC. ELECMEC FIL35 QUICK SUSP 4M 5P BK.



Product code: F3SUCAWI1000DG F3SUCAWI4000DG

### Description:

ACC. ELECMEC FIL35 QUICK SUSP 1M 5P GR. ACC. ELECMEC FIL35 QUICK SUSP 4M 5P GR.



Product code: F3SUCAWI1000DW F3SUCAWI4000DW

#### Description:

ACC. ELECMEC FIL35 QUICK SUSP 1M 5P WH. ACC. ELECMEC FIL35 QUICK SUSP 4M 5P WH.



Product code:

F3SUWIDE1000G

## Description:

FIL35 ACC. QUICK STEEL CABLE 1M NK.



Product code:

F3SUWIDE4000G



FIL35 ACC. QUICK STEEL CABLE 4M NK.