



F31SFHCL00C830DB

**FIL35 HOR CORNER SUR 800 WW OP DA COM BK****Description:**

Suspended or mounted surface structure model FIL35 HORIZ CORNER SUR LAMP brand. Made in extruded recycled aluminum with a rate of 80%, with an opal confor diffuser made of translucent polycarbonate diffuser and an optical film to achieve a controlled light distribution and low glare level, less tha UGR 19. Model for LED MID-POWER, colour temperature 3000K with CRI80 and with electronic wiring Dali included. With IP43, except for suspended installation, which becomes IP20, IK07 protection rating. Insulation Class I. Photobiological safety group 0. LED lifetime: 60.000 L80 B10. Available finishes: White, black and grey. Environmental Product Declaration - EPD@available, according to UNE-EN ISO 9001:2015 and UNE-EN ISO 14001:2015.

**Finish:** Matte black RAL 9011**Weight:** 1.230 g**Installation:** Surface**TECHNICAL SPECIFICATIONS:**

|                      |                          |                      |                  |
|----------------------|--------------------------|----------------------|------------------|
| <b>Light output:</b> | 534 lm                   | <b>°K :</b>          | 3000             |
| <b>Plum:</b>         | 6,1W                     | <b>CRI :</b>         | 80               |
| <b>Efficacy:</b>     | 87,5 lm/w                | <b>MacAdam:</b>      | 3                |
| <b>UGR:</b>          | <19                      | <b>Power Supply:</b> | 220-240V 50/60Hz |
| <b>Type:</b>         | MID POWER LED            | <b>Gear:</b>         | Adjustable DALI  |
| <b>LED Lifetime:</b> | 60.000 L80 B10 (Ta=25°C) |                      |                  |
| <b>Power:</b>        | 5W                       |                      |                  |

**Light output tolerance +/- 10%****CUSTOM MADE OPTIONS:**

---

**ACCESORIES :**
**Assembly****Product code:**

F3COX/MMB

**Description:**

FIL 35 ACC. COVER X/MM BK.

**Product code:**

F3COX/MMG

**Description:**

FIL 35 ACC. COVER X/MM GR.

**Product code:**

F3COX/MMW

**Description:**

FIL 35 ACC. COVER X/MM WH.

**Product code:**

F3FX50B

**Description:**

ACC. WALL BRACKET FIL45 50MM BK.

**Product code:**

F3FX50G

**Description:**


ACC. WALL BRACKET FIL35 50MM GR.

**Product code:**

F3FX50W

**Description:**

ACC. WALL BRACKET FIL35 50MM WH.

**Product code:**

F3PRSUX/MMB

**Description:**

FIL 35 ACC. SUS PROFIL X/MM BK.

**Product code:**

F3PRSUX/MMG

**Description:**

FIL 35 ACC. SUS PROFIL X/MM GR.

**Product code:**

F3PRSUX/MMW

**Description:**

FIL 35 ACC. SUS PROFIL X/MM WH.

---

**ACCESORIES :**
**Support**



**Product code:**

F3FX15G

**Description:**

ACC. CEILING BRACKET FIL35 15MM GR.

---

**ACCESORIES :**

**Optical**



**Product code:**

F3DIX/MMOP

**Description:**

FIL 35 ACC. OPAL DIFFUSER X/MM