FIL35


F31SFVCELOOP840NG



FIL35 VERT. EX. CORNER SUR 800 NW OPAL G

Description:

Suspended or mounted surface structure model FIL35 VERT. EX. CORNER SUR LAMP brand. Made in extruded recycled aluminum with a rate of 80%, with opal polycarbonate diffuser. Model for LED MID-POWER, colour temperature 4000K with CRI80 and with electronic wiring included. With IP20, IK07 protection rating. Insulation Class I. Photobiological safety group 0. LED lifetime: 60.000 L80 B10. Available finishes: White, black and grey.



Finish: Gloss grey Weight: 1.580 g

Installation: Surface

TECHNICAL SPECIFICATIONS:

Light output: 577 lm °K: 4000 Plum: 6,1W CRI: 80 Efficacy: 94,6 lm/w MacAdam: 3

Type: MID POWER TRIDONIC Power Supply: 220-240V 50/60Hz

LED Lifetime: 60.000 L80 B10 (Ta=25°C) Gear: Electronic

5W Power:

Light output tolerance +/- 10%





























CUSTOM MADE OPTIONS:

























Product datasheet

FIL35



ACCESORIES:

Assembly



Product code:

Description: F3COX/MMB FIL 35 ACC. COVER X/MM BK.



Product code:

F3COX/MMG



FIL 35 ACC. COVER X/MM GR.



Product code:

Description: F3COX/MMW FIL 35 ACC. COVER X/MM WH.



Product code:

F3PRSUX/MMB

Description:

Description:

FIL 35 ACC. SUS PROFIL X/MM BK.



Product code: F3PRSUX/MMG

Description:

FIL 35 ACC. SUS PROFIL X/MM GR.



Product code: F3PRSUX/MMW

FIL 35 ACC. SUS PROFIL X/MM WH.

ACCESORIES:

Optical



Product code:

Description:

FIL 35 ACC. OPAL DIFFUSER X/MM F3DIX/MMOP