FIL35



F31TR168MOOP830NW

- FIL35 TRIM 1680 4440 WW OPAL WH.

Description:

Finish: Matte white RAL 9010



TECHNICAL SPECIFICATIONS:

 Light output:
 2.562 lm
 %:
 3000

 Plum:
 25,2W
 CRI:
 80

 Efficacy:
 101,7 lm/w
 MacAdam:
 3

Type: MID POWER LED Power Supply: 220-240V 50/60Hz

LED Lifetime: 70.000 L80 B10 (Ta=25°C) Gear: Electronic

Power: 22W

Light output tolerance +/- 10%

EPD

FIL35




FIL35 TRIM 1680 4440 WW OPAL WH.





PHOTOMETRIC DATA:


$$\label{eq:eta-problem} \begin{split} &\text{F31TR168MOOP830NW} \\ &\eta = 100\% \\ &\text{Imax} = 389 \text{ cd/klm} \\ &\text{UTE: 1,00E} \end{split}$$

CIE: 49 80 97 100 100









Product datasheet

FIL35



ACCESORIES:

Assembly



Product code:

F3COX/MMB

Description:

FIL 35 ACC. COVER X/MM BK.

Product code:

F3COX/MMG

Description:

FIL 35 ACC. COVER X/MM GR.



Product code: F3COX/MMW Description:

FIL 35 ACC. COVER X/MM WH.