



F41RE084MOPR940NW

- FIL45 REC 840 1950 9NW OP COMF WH.



Description:

Finish: Matte white RAL 9010



Installation: Recessed

Recessing measures: 846 x 0 x 0

TECHNICAL SPECIFICATIONS:

UGR:	<16	°K :	4000
		Power Supply:	220-240V 50/60Hz
		Gear:	Electronic








CUSTOM MADE OPTIONS:



PHOTOMETRIC DATA :

F41RE084MOPR940NW
 $\eta = 99\%$
 $I_{max} = 968 \text{ cd/klm}$
 UTE: 0,99A
 CIE: 90 100 100 100 99



ACCESORIES :

Assembly




Product code:
F4COX/MMB

Description:
FIL 45 ACC. COVER X/MM BK.




Product code:
F4COX/MMG

Description:
FIL 45 ACC. COVER X/MM GR.



Product code:
F4COX/MMW

Description:
FIL 45 ACC. COVER X/MM WH.




Product code:
F4PRREX/MMB

Description:
FIL 45 ACC. REC PROFIL X/MM BK.




Product code:
F4PRREX/MMG

Description:
FIL 45 ACC. REC PROFIL X/MM GR.




Product code:
F4PRREX/MMW

Description:
FIL 45 ACC. REC PROFIL X/MM WH.



Product code:
F4REECB

Description:
FIL45 ACC. REC END COVER BK.



Product code:
F4REECG

Description:
FIL45 ACC. REC END COVER GR.



Product code:
F4REECW

Description:
FIL45 ACC. REC END COVER WH.



Product code:
F4REJO

Description:
FIL45 ACC. INTM JOINT B RECESSED




Product code:
F4TORFG

Description:
FIL45 ACC. TOOL REMOVE REFLECTOR

ACCESSORIES :

Optical



Product code:
F4DIX/MMOP

Description:
FIL 45 ACC. OPAL DIFFUSER X/MM

ACCESSORIES :

Adjustment and control



Product code:
F41EMG3HDWB

Description:
ACC.FIL45 DOWNLIGHT EMERGENCIA 3H BK



Product code:
F41EMG3HDWG

Description:
ACC.FIL45 DOWNLIGHT EMERGENCIA 3H GR




Product code:
F41EMG3HDWW

Description:
ACC.FIL45 DOWNLIGHT EMERGENCIA 3H WH



Product code:
F41LIGHTSNDB

Description:
ACC.FIL45 SENSOR BASIC ILD DALI-2 BK



Product code:
F41LIGHTSNDG

Description:
ACC.FIL45 SENSOR BASIC ILD DALI-2 GR



Product code:
F41LIGHTSNDW

Description:
ACC.FIL45 SENSOR BASIC ILD DALI-2 WH