Product datasheet

FIL45

F41RE084MOTE840DW



FIL45 REC 840 1950 NW TECH DALI WH.

Description:

Structure to recessed model FIL45 REC 840 LAMP brand. Made in extruded recycled aluminum with a rate of 80%, with metallic polycarbonate diffuser tech. Model for LED MID-POWER, colour temperature 4000K with CRI80 and with electronic wiring Dali included. With IP20, IK07 protection rating. Insulation Class I. Photobiological safety group 0. LED life time: 70.000 L80 B10. Available finishes: White, black and grey. Environmental Product Declaration - EPD®available, according to UNE-EN ISO 9001:2015 and UNE-EN ISO 14001:2015.



Finish: Matte white RAL 9010

Dimensions: 840 x 55 x 76 mm Weight: 2.100 g

Installation: Recessed

846 x 51 x 0 mm Recessing measures:

TECHNICAL SPECIFICATIONS:

Light output: 1.472 lm °K: 4000 Plum: 13,3W CRI: 80 Efficacy: 110,6 lm/w 3 MacAdam:

UGR: 17 Power Supply: 220-240V 50/60Hz

Type: MID POWER LED Gear: Adjustable DALI

LED Lifetime: 70.000 L80 B10 (Ta=25°C)

12W Power:

Light output tolerance +/- 10%



























CUSTOM MADE OPTIONS:























FIL45










PHOTOMETRIC DATA:


 $F41RE084MOTE840NW \\ \eta = 100\% \\ Imax = 1131 \ cd/klm \\ UTE: \ 1,00A$

CIE: 91 100 100 100 100









Product datasheet

FIL45



ACCESORIES:

Assembly



Product code:

F4COX/MMB



FIL 45 ACC. COVER X/MM BK.



Product code:

F4COX/MMG



FIL 45 ACC. COVER X/MM GR.



Product code:

F4COX/MMW



FIL 45 ACC. COVER X/MM WH.



Product code:

F4PRREX/MMB

Description:

FIL 45 ACC. REC PROFIL X/MM BK.



Product code:

F4PRREX/MMG

Description:

FIL 45 ACC. REC PROFIL X/MM GR.



Product code:

F4PRREX/MMW

Description:

FIL 45 ACC. REC PROFIL X/MM WH.



Product code:

F4REECB

Description:

FIL45 ACC. REC END COVER BK.



Product code:

F4REECG

Description:

FIL45 ACC. REC END COVER GR.



Product code:

F4REECW

Description:

FIL45 ACC. REC END COVER WH.



Product code:

F4REJO

Description:

FIL45 ACC. INTM JOINT B RECESSED

Data according to regulations 2019/2020/EU and 2019/2015/EU

Product datasheet

FIL45





Description: Product code:

F4TORFG FIL45 ACC. TOOL REMOVE REFLECTOR

ACCESORIES:

Optical



Product code: Description:

F4DIX/MMOP FIL 45 ACC. OPAL DIFFUSER X/MM

ACCESORIES:

Adjustment and control



Product code: F41EMG3HDWB Description:

ACC.FIL45 DOWNLIGHT EMERGENCIA 3H BK



Product code: F41EMG3HDWG Description:

ACC.FIL45 DOWNLIGHT EMERGENCIA 3H GR



Product code: F41EMG3HDWW Description:

ACC.FIL45 DOWNLIGHT EMERGENCIA 3H WH



Product code: F41LIGHTSNDB Description:

ACC.FIL45 SENSOR BASIC ILD DALI-2 BK



Product code:

Description: F41LIGHTSNDG

ACC.FIL45 SENSOR BASIC ILD DALI-2 GR

Product code:

F41LIGHTSNDW

Description:

ACC.FIL45 SENSOR BASIC ILD DALI-2 WH

Data according to regulations 2019/2020/EU and 2019/2015/EU