LAMP
Worktitude for light

F41RE140HOOP830DW

FIL45 REC 1400 7750 WW OPAL DALI WH.

Description:

Structure to recessed model FIL45 REC 1400 LAMP brand. Made in extruded recycled aluminum with a rate of 80%, with opal polycarbonate diffuser. Model for LED MID-POWER, colour temperature 3000K with CRI80 and with electronic wiring Dali included. With IP43, IK07 protection rating. Insulation Class I. Photobiological safety group 0. LED life time: 72.000 L80 B10. Available finishes: White, black and grey. Environmental Product Declaration - EPD®available, according to UNE-EN ISO 9001:2015 and UNE-EN ISO 14001:2015.

Finish: Matte white RAL 9010

Dimensions: 1.400 x 55 x 76 mm   **Weight:** 3.280 g

Installation: Recessed

Recessing measures: 1,406 x 51 x 0 mm

TECHNICAL SPECIFICATIONS:

Light output:	4.660 lm	**ºK :**	3000
Plum:	49,1W	**CRI :**	80
Efficacy:	94,9 lm/w	**MacAdam:**	3
Type:	MID POWER LED	**Power Supply:**	220-240V 50/60Hz
LED Lifetime:	72.000 L80 B10 (Ta=25ºC)	**Gear:**	Adjustable DALI
Power:	45W		

Light output tolerance +/- 10%

Al | CLASE I | IK 07 | IP 43 | LED 3000ºK | 25mm | 850º

CE | EPD | GARANTIA WARRANTY GARANTIE 5 | Group 0 En 62471

CUSTOM MADE OPTIONS:

1-10V | | | ⁂ | CRI | ↑lm | | PUSH | K

LAMP
Worktitude for light

PHOTOMETRIC DATA :

F41RE140HOOP830NW

η = 100%

Imax = 377 cd/klm

UTE: 1,00E

CIE: 49 80 96 100 100

alpha = 104,7°

BACK   FRONT

50,1 %   50,1 %

Tel.   +34937366800

Web www.lamp.es

LAMP reserves the right to change the technical specifications of their products. These changes will allow the continual improvement of the products and will also ensure the conformity to current legal changes. Updated information is always available in our website www.lamp.es

Data according to regulations 2019/2020/EU and 2019/2015/EU

17-07-2025

Pág.   2 / 4

ACCESORIES :

Assembly

Product code:	Description:
F42JO	FIL45 ACC. SU/RE INTM JOINT B

Product code:	Description:
F4COX/MMB	FIL 45 ACC. COVER X/MM BK.

Product code:	Description:
F4COX/MMG	FIL 45 ACC. COVER X/MM GR.

Product code:	Description:
F4COX/MMW	FIL 45 ACC. COVER X/MM WH.

Product code:	Description:
F4PRREX/MMB	FIL 45 ACC. REC PROFIL X/MM BK.

Product code:	Description:
F4PRREX/MMG	FIL 45 ACC. REC PROFIL X/MM GR.

Product code:	Description:
F4PRREX/MMW	FIL 45 ACC. REC PROFIL X/MM WH.

Product code:	Description:
F4REECB	FIL45 ACC. REC END COVER BK.

Product code:	Description:
F4REECG	FIL45 ACC. REC END COVER GR.

Product code:	Description:
F4TORFG	FIL45 ACC. TOOL REMOVE REFLECTOR

ACCESORIES :

Optical

Tel.   +34937366800

Web   www.lamp.es

LAMP reserves the right to change the technical specifications of their products. These changes will allow the continual improvement of the products and will also ensure the conformity to current legal changes. Updated information is always available in our website www.lamp.es

Data according to regulations 2019/2020/EU and 2019/2015/EU

17-07-2025

Pág.   3 / 4

LAMP
Worktitude for light

Product code:	**Description:**
F4DIX/MMOP	FIL 45 ACC. OPAL DIFFUSER X/MM

ACCESORIES :

Adjustment and control

Product code:	**Description:**
F41EMG3HDWB	ACC.FIL45 DOWNLIGHT EMERGENCIA 3H BK

Product code:	**Description:**
F41EMG3HDWG	ACC.FIL45 DOWNLIGHT EMERGENCIA 3H GR

Product code:	**Description:**
F41EMG3HDWW	ACC.FIL45 DOWNLIGHT EMERGENCIA 3H WH

Product code:	**Description:**
F41LIGHTSNDB	ACC.FIL45 SENSOR BASIC ILD DALI-2 BK

Product code:	**Description:**
F41LIGHTSNDG	ACC.FIL45 SENSOR BASIC ILD DALI-2 GR

Product code:	**Description:**
F41LIGHTSNDW	ACC.FIL45 SENSOR BASIC ILD DALI-2 WH

Tel.   +34937366800

Web   www.lamp.es

LAMP reserves the right to change the technical specifications of their products. These changes will allow the continual improvement of the products and will also ensure the conformity to current legal changes. Updated information is always available in our website www.lamp.es

Data according to regulations 2019/2020/EU and 2019/2015/EU

17-07-2025

Pág.   4 / 4