F41RE168MOTE840NB

FIL45 REC 1680 3900 NW TECH BK.

Description:

Structure to recessed model FIL45 REC 1680 LAMP brand. Made in extruded recycled aluminum with a rate of 80%, with metallic polycarbonate diffuser tech. Model for LED MID-POWER, colour temperature 4000K with CRI80 and with electronic wiring included. With IP20, IK07 protection rating. Insulation Class I. Photobiological safety group 0. LED life time: 70.000 L80 B10. Available finishes: White, black and grey. Environmental Product Declaration - EPD®available, according to UNE-EN ISO 9001:2015 and UNE-EN ISO 14001:2015.

Finish:	Matte black RAL 9011	
Dimensions:	1.680 x 55 x 76 mm	**Weight:** 3.840 g

Installation: Recessed

Recessing measures: 1,686 x 51 x 0 mm

TECHNICAL SPECIFICATIONS:

Light output:	2.943 lm		**ºK :**	4000
Plum:	24,7W		**CRI :**	80
Efficacy:	119,1 lm/w		**MacAdam:**	3
UGR:	17		**Power Supply:**	220-240V 50/60Hz
Type:	MID POWER LED		**Gear:**	Electronic
LED Lifetime:	70.000 L80 B10 (Ta=25ºC)			
Power:	23W			

Light output tolerance +/- 10%

AI | CLASE I | IK 07 | IP 20 | LED 4000 K | Máx. 25 mm | 850º

CE | EPD | WARRANTY 5 | Group 0 En 62471

CUSTOM MADE OPTIONS:

1-10V | (•) | (⋯) | ✳ | CRI | ↑lm | F | ≋ | L PUSH | K

LAMP
Worktitude for light

F41RE168MOTE840NB   **FIL45 REC 1680 3900 NW TECH BK.**

PHOTOMETRIC DATA :

F41RE168MOTE840NB

η = 100%

Imax = 1131 cd/klm

UTE: 1,00A

CIE: 91 100 100 100 100

alpha = 57,0º

BACK   FRONT

50,0 %   50,0 %

10-04-2024

Pág.   2 / 4

ACCESORIES :

Assembly

Product code:	**Description:**
F4COX/MMB	FIL 45 ACC. COVER X/MM BK.

Product code:	**Description:**
F4COX/MMG	FIL 45 ACC. COVER X/MM GR.

Product code:	**Description:**
F4COX/MMW	FIL 45 ACC. COVER X/MM WH.

Product code:	**Description:**
F4PRREX/MMB	FIL 45 ACC. REC PROFIL X/MM BK.

Product code:	**Description:**
F4PRREX/MMG	FIL 45 ACC. REC PROFIL X/MM GR.

Product code:	**Description:**
F4PRREX/MMW	FIL 45 ACC. REC PROFIL X/MM WH.

Product code:	**Description:**
F4REECB	FIL45 ACC. REC END COVER BK.

Product code:	**Description:**
F4REECG	FIL45 ACC. REC END COVER GR.

Product code:	**Description:**
F4REECW	FIL45 ACC. REC END COVER WH.

Product code:	**Description:**
F4REJO	FIL45 ACC. INTM JOINT B RECESSED

Tel.   +34937366800

Web   www.lamp.es

LAMP reserves the right to change the technical specifications of their products. These changes will allow the continual improvement of the products and will also ensure the conformity to current legal changes. Updated information is always available in our website www.lamp.es

Data according to regulations 2019/2020/EU and 2019/2015/EU

10-04-2024

Pág.   3 / 4

LAMP
Worktitude for light

Product code:

F4TORFG

Description:

FIL45 ACC. TOOL REMOVE REFLECTOR

ACCESORIES :

Optical

Product code:

F4DIX/MMOP

Description:

FIL 45 ACC. OPAL DIFFUSER X/MM

ACCESORIES :

Adjustment and control

Product code:	**Description:**	**Product code:**	**Description:**
F41EMG3HDWB	ACC.FIL45 DOWNLIGHT EMERGENCIA 3H BK	F41EMG3HDWG	ACC.FIL45 DOWNLIGHT EMERGENCIA 3H GR
F41EMG3HDWW	ACC.FIL45 DOWNLIGHT EMERGENCIA 3H WH	F41LIGHTSNDB	ACC.FIL45 SENSOR BASIC ILD DALI-2 BK
F41LIGHTSNDG	ACC.FIL45 SENSOR BASIC ILD DALI-2 GR	F41LIGHTSNDW	ACC.FIL45 SENSOR BASIC ILD DALI-2 WH