Product datasheet

FIL45

F41RE196MOOP830NW



FIL45 REC 1960 4550 WW OPAL WH.

Description:

Finish:

Structure to recessed model FIL45 REC 1960 LAMP brand. Made in extruded recycled aluminum with a rate of 80%, with opal polycarbonate diffuser. Model for LED MID-POWER, colour temperature 3000K with CRI80 and with electronic wiring included. With IP43, IK07 protection rating. Insulation Class I. Photobiological safety group 0. LED life time: 70.000 L80 B10. Available finishes: White, black and grey. Environmental Product Declaration - EPD®available, according to UNE-EN ISO 9001:2015 and UNE-EN ISO 14001:2015.



Dimensions: 1.960 x 55 x 76 mm

Weight: 4.440 g

Installation: Recessed

Recessing measures: 1,966 x 51 x 0 mm

Matte white RAL 9010

TECHNICAL SPECIFICATIONS:

Light output:	3.014 lm	⁰K :	3000	
Plum:	30W	CRI :	80	
Efficacy:	100,4 lm/w	MacAdam:	3	
Туре:	MID POWER LED	Power Supply:	220-240V 50/60Hz	
LED Lifetime:	70.000 L80 B10 (Ta=25⁰C)	Gear:	Electronic	
Power:	27W			

Light output tolerance +/- 10%



CUSTOM MADE OPTIONS:



LAMP reserves the right to change the technical specifications of their products. These changes will allow the continual improvement of the products and will also ensure the conformity to current legal changes. Updated information is always available in our website www.lamp.es Worktitude for light

FIL45

F41RE196MOOP830NW

FIL45 REC 1960 4550 WW OPAL WH.



F41RE196MOOP830NW	180°	alpha = 104,6°	H (m)	D (m)	Emax	Emed
η = 100% Imax = 380 cd/klm			1	2,59	1101	379
UTE: 1,00E	90° 90°		2	5,18	275	95
CIE: 49 81 97 100 100			3	7,77	122	42
			5		122	42
	0°		4	10,35	69	24

Worktitude for light

Product datasheet

FIL45

ACCESORIES :

Assembly




Product code: F42JO

Description: FIL45 ACC. SU/RE INTM JOINT B



Product code: F4COX/MMB



Worktitude for light



Product code:

F4COX/MMG

Description: FIL 45 ACC. COVER X/MM GR.



Product code: F4PRREX/MMB





F4COX/MMW

Description: FIL 45 ACC. COVER X/MM WH.



Product code: F4PRREX/MMG

Description: FIL 45 ACC. REC PROFIL X/MM GR.



Product code: F4PRREX/MMW



Description: FIL 45 ACC. REC PROFIL X/MM WH.



Product code: F4REECB

Description: FIL45 ACC. REC END COVER BK.



Product code: F4REECG

Description: FIL45 ACC. REC END COVER GR.



Product code: F4REECW

Description: FIL45 ACC. REC END COVER WH.

LAMP reserves the right to change the technical specifications of their products. These changes will allow the continual improvement of the products and will also ensure the conformity to current legal changes. Updated information is always available in our website www.lamp.es

Product code:

Product datasheet

FIL45





Product code: F4TORFG Description: FIL45 ACC. TOOL REMOVE REFLECTOR

ACCESORIES : Optical



Product code: F4DIX/MMOP Description: FIL 45 ACC. OPAL DIFFUSER X/MM

ACCESORIES : Adjustment and control



Product code: F41EMG3HDWB





Product code: F41EMG3HDWG

Description: ACC.FIL45 DOWNLIGHT EMERGENCIA 3H GR



Product code: F41EMG3HDWW

Description: ACC.FIL45 DOWNLIGHT EMERGENCIA 3H WH




Product code: F41LIGHTSNDB

Description: ACC.FIL45 SENSOR BASIC ILD DALI-2 BK



Product code: F41LIGHTSNDG





Product code: F41LIGHTSNDW

Description: ACC.FIL45 SENSOR BASIC ILD DALI-2 WH