FIL45

## F41RE224MOTE830NG




#### FIL45 REC 2240 5200 WW TECH GR.

#### **Description:**

Finish:

Structure to recessed model FIL45 REC 2240 LAMP brand. Made in extruded recycled aluminum with a rate of 80%, with metallic polycarbonate diffuser tech. Model for LED MID-POWER, colour temperature 3000K with CRI80 and with electronic wiring included. With IP20, IK07 protection rating. Insulation Class I. Photobiological safety group 0. LED life time: 70.000 L80 B10. Available finishes: White, black and grey. Environmental Product Declaration - EPD®available, according to UNE-EN ISO 9001:2015 and UNE-EN ISO 14001:2015.



Gloss grey Dimensions: 2.240 x 55 x 76 mm

Weight: 5.320 g

Installation: Recessed

2,246 x 51 x 0 mm **Recessing measures:** 

#### **TECHNICAL SPECIFICATIONS:**

Light output:	3.744 lm	⁰K :	3000
Plum:	37W	CRI :	80
Efficacy:	101,1 lm/w	MacAdam:	3
UGR:	17	Power Supply:	220-240V 50/60Hz
Туре:	MID POWER LED	Gear:	Electronic
LED Lifetime:	70.000 L80 B10 (Ta=25⁰C)		
Power:	31W		

#### Light output tolerance +/- 10%



### **CUSTOM MADE OPTIONS:**



LAMP reserves the right to change the technical specifications of their products. These changes will allow the continual improvement of the products and will also ensure the conformity to current legal changes. Updated information is always available in our website www.lamp.es


Worktitude for light

# FIL45

F41RE224MOTE830NG

FIL45 REC 2240 5200 WW TECH GR.





Worktitude for light

# FIL45

# ACCESORIES :

## Assembly




Product code: F4COX/MMB

Description: FIL 45 ACC. COVER X/MM BK.




Product code: F4COX/MMG





Product code: F4COX/MMW





Product code: F4PRREX/MMB

Description: FIL 45 ACC. REC PROFIL X/MM BK.



Product code: F4PRREX/MMG





Product code: F4PRREX/MMW

Description: FIL 45 ACC. REC PROFIL X/MM WH.



Product code: F4REECB



Product code: F4REECG

Description: FIL45 ACC. REC END COVER GR.



F4REECW

Description: FIL45 ACC. REC END COVER WH.



Product code: F4REJO

Description: FIL45 ACC. INTM JOINT B RECESSED

Data according to regulations 2019/2020/EU and 2019/2015/EU



Worktitude for light

# FIL45





Product code: F4TORFG Description: FIL45 ACC. TOOL REMOVE REFLECTOR

# ACCESORIES : Optical



Product code: F4DIX/MMOP Description: FIL 45 ACC. OPAL DIFFUSER X/MM

## ACCESORIES : Adjustment and control



Product code: F41EMG3HDWB Description: ACC.FIL45 DOWNLIGHT EMERGENCIA 3H BK



Product code: F41EMG3HDWG

Description: ACC.FIL45 DOWNLIGHT EMERGENCIA 3H GR



Product code: F41EMG3HDWW

Description: ACC.FIL45 DOWNLIGHT EMERGENCIA 3H WH



Product code: F41LIGHTSNDB

Description: ACC.FIL45 SENSOR BASIC ILD DALI-2 BK



Product code: F41LIGHTSNDG





Product code: F41LIGHTSNDW

Description: ACC.FIL45 SENSOR BASIC ILD DALI-2 WH