FIL45


F41RECRMOOP840NW



FIL45 CORNER REC 1300 NW OPAL WH.

Description:

Structure to recessed model FIL45 CORNER REC LAMP brand. Made in extruded recycled aluminum with a rate of 80%, withopal polycarbonate diffuser. Model for LED MID-POWER, colour temperature 4000K with CRI80 and with electronic wiring included. With IP43, IK07 protection rating. Insulation class I. Photobiological safety group 0. LED life time: 70.000 L80 B10. Available finishes: White, black and grey. Environmental Product Declaration -EPD®available, according to UNE-EN ISO 9001:2015 and UNE-EN ISO 14001:2015.



318

Finish: Matte white RAL 9010

Weight: 1.320 g

Installation: Recessed

TECHNICAL SPECIFICATIONS:

Light output: 844 lm °K: 4000 Plum: 9,3W CRI: 80 Efficacy: 90,8 lm/w 3 MacAdam:

Type: MID POWER LED Power Supply: 220-240V 50/60Hz

LED Lifetime: 70.000 L80 B10 (Ta=25°C) Gear: Electronic

8W Power:

Light output tolerance +/- 10%



























CUSTOM MADE OPTIONS:









Data according to regulations 2019/2020/EU and 2019/2015/EU













Product datasheet

FIL45



ACCESORIES:

Assembly



Product code:

F42JO



FIL45 ACC. SU/RE INTM JOINT B



Product code:

F4COX/MMB



FIL 45 ACC. COVER X/MM BK.



Product code:

F4COX/MMG

Description:

FIL 45 ACC. COVER X/MM GR.



Product code:

F4COX/MMW

Description:

FIL 45 ACC. COVER X/MM WH.



Product code:

F4PRREX/MMB

Description:

FIL 45 ACC. REC PROFIL X/MM BK.



Product code:

F4PRREX/MMG

Description:

FIL 45 ACC. REC PROFIL X/MM GR.



Product code:

F4PRREX/MMW

Description:

FIL 45 ACC. REC PROFIL X/MM WH.



Product code:

F4REECB

Description:

FIL45 ACC. REC END COVER BK.



Product code:

F4REECG

Description:

FIL45 ACC. REC END COVER GR.



Product code:

F4REECW

Description:

FIL45 ACC. REC END COVER WH.

Product datasheet

FIL45





Product code: Description:

F4TORFG FIL45 ACC. TOOL REMOVE REFLECTOR

ACCESORIES:

Optical



Product code: Description:

F4DIX/MMOP FIL 45 ACC. OPAL DIFFUSER X/MM