


## F42SF140MOTA940NW



## FIL45 G2 SUR 1400 2800 9NW TECH ASY WH

## Description:

LAMP suspended or surface mounted structure FIL45 G2 SUR 1400. Manufactured from extruded aluminum with an 80% recycling rate, asymmetrical optic and black mat polycarbonate reflector TECH ULTRACONFORT to control light distribution and reduce glare UGR <15. Model for LED MID-POWER, colour temperature 4000K and IRC90. Electronic ON OFF gear included. IP20, IK07 ratings. Insulation Class I. Photobiological safety group 0. LED life time: 90.000 L80 B10. Available finishes: White, black and grey. Environmental Product Declaration - EPD@available, according to UNE-EN ISO 9001:2015 and UNE-EN ISO 14001:2015.

**Finition:** Blanc mat RAL 9010

**Dimensions:** 1.398 x 45 x 80 mm

**Poids:** 3.180 g

**Installation:** Surface

## SPÉCIFICATIONS TECHNIQUES:


|                          |                          |                      |                  |
|--------------------------|--------------------------|----------------------|------------------|
| <b>Flux lumineux:</b>    | 1.870 lm                 | <b>°K :</b>          | 4000             |
| <b>Plum:</b>             | 19,40W                   | <b>IRC :</b>         | 90               |
| <b>Efficacité:</b>       | 96,4 lm/w                | <b>R9 :</b>          | 67               |
| <b>Type:</b>             | MID POWER                | <b>MacAdam:</b>      | 3                |
| <b>Durée de vie LED:</b> | 90.000 L80 B10 (Ta=25°C) | <b>Alimentation:</b> | 220-240V 50/60Hz |
| <b>Puissance:</b>        | 17W                      | <b>Équipement:</b>   | Électronique     |

*Tolérance de flux lumineux +/- 10%*


## OPTIONS PERSONNALISABLES:



DONNÉES PHOTOMÉTRIQUES :



## ACCESSOIRES :


## Montage

**Code produit:**

F42JO

**Description:**


FIL45 ACC. SU/RE INTM JOINT B

**Code produit:**

F4COX/MMB

**Description:**

FIL 45 ACC. COVER X/MM BK.

**Code produit:**

F4COX/MMG

**Description:**

FIL 45 ACC. COVER X/MM GR.

**Code produit:**

F4COX/MMW

**Description:**

FIL 45 ACC. COVER X/MM WH.

**Code produit:**

F4FX50B

**Description:**

ACC. WALL BRACKET FIL45 50MM BK.

**Code produit:**

F4FX50G

**Description:**


ACC. WALL BRACKET FIL45 50MM GR.

**Code produit:**

F4FX50W

**Description:**


ACC. WALL BRACKET FIL45 50MM WH.

**Code produit:**

F4PRSUX/MMB

**Description:**

FIL 45 ACC. SUS PROFIL X/MM BK.

**Code produit:**

F4PRSUX/MMG

**Description:**

FIL 45 ACC. SUS PROFIL X/MM GR.

**Code produit:**

F4PRSUX/MMW

**Description:**

FIL 45 ACC. SUS PROFIL X/MM WH.

**Code produit:**

F4SUECB

**Description:**

FIL45 ACC. SUR END COVER BK.

**Code produit:**

F4SUECG

**Description:**

FIL45 ACC. SUR END COVER GR.

**Code produit:**

F4SUECW

**Description:**

FIL45 ACC. SUR END COVER WH.

**ACCESSOIRES :****Suspension****Code produit:**

F4SUCAEMFA1000NB

F4SUCAEMFA4000NB

**Description:**

ACC. ELECMEC FIL45 QUICK SUSP 1M BK.

ACC. ELECMEC FIL45 QUICK SUSP 4M BK.

**Code produit:**

F4SUCAEMFA1000NG

F4SUCAEMFA4000NG

**Description:**

ACC. ELECMEC FIL45 QUICK SUSP 1M GR.

ACC. ELECMEC FIL45 QUICK SUSP 4M GR.

**Code produit:**

F4SUCAEMFA1000NW

F4SUCAEMFA4000NW

**Description:**

ACC. ELECMEC FIL45 QUICK SUSP 1M WH.

ACC. ELECMEC FIL45 QUICK SUSP 4M WH.

**Code produit:**

F4SUCAWI1000DB

F4SUCAWI4000DB

**Description:**

ACC. ELECMEC FIL45 QUICK SUSP 1M 5P BK.

ACC. ELECMEC FIL45 QUICK SUSP 4M 5P BK.

**Code produit:**

F4SUCAWI1000DG

F4SUCAWI4000DG

**Description:**

ACC. ELECMEC FIL45 QUICK SUSP 1M 5P GR.

ACC. ELECMEC FIL45 QUICK SUSP 4M 5P GR.

**Code produit:**

F4SUCAWI1000DW

F4SUCAWI4000DW

**Description:**

ACC. ELECMEC FIL45 QUICK SUSP 1M 5P WH.

ACC. ELECMEC FIL45 QUICK SUSP 4M 5P WH.



**Code produit:**

F4SUWIDE1000G

**Description:**

FIL45 ACC. QUICK STEEL CABLE 1M NK.



**Code produit:**

F4SUWIDE4000G

**Description:**

FIL45 ACC. QUICK STEEL CABLE 4M NK.

---

**ACCESSOIRES :**

**Support**



**Code produit:**

F4FX15G


**Description:**

FIL45 ACC. CEILING BRACKET 15MM GR.

---

**ACCESSOIRES :**

**Optique**



**Code produit:**

F4DIX/MMOP

**Description:**

FIL 45 ACC. OPAL DIFFUSER X/MM

---

**ACCESSOIRES :**

**Contrôle et réglage**



**Code produit:**

F41EMG3HDWB

**Description:**

ACC.FIL45 DOWNLIGHT EMERGENCIA 3H BK



**Code produit:**

F41EMG3HDWG

**Description:**

ACC.FIL45 DOWNLIGHT EMERGENCIA 3H GR



**Code produit:**

F41EMG3HDWW

**Description:**

ACC.FIL45 DOWNLIGHT EMERGENCIA 3H WH




**Code produit:**

F41LIGHTSNDB

**Description:**

ACC.FIL45 SENSOR BASIC ILD DALI-2 BK



**Code produit:**

F41LIGHTSNDG

**Description:**

ACC.FIL45 SENSOR BASIC ILD DALI-2 GR



**Code produit:**

F41LIGHTSNDW

**Description:**

ACC.FIL45 SENSOR BASIC ILD DALI-2 WH