



F53SF112MOOC840DG

**FIL50 G3 SUR 1120 2600 840 COMFORT DA GR****Description:**


Suspended or mounted structure model FIL50 SUR 1120 LAMP brand. Made in extruded recycled aluminum with a rate of 80%, with and opal comfort diffuser made of a translucent polycarbonate diffuser and an optical film to achieve a controlled light distribution and low UGR<19. Model for LED MID-POWER, colour temperature 4000K with CRI80 and with electronic wiring Dali included. With IP43, except for suspended installation, which becomes IP20, IK07 protection rating. Insulation Class I. Photobiological safety group 0. LED lifetime: 72.000 L80 B10. Available finishes: White and grey. Envir+E18:E24onmental Product Declaration - EPD®available, according to UNE-EN ISO 9001:2015 and UNE-EN ISO 14001:2015.

Finish: Gloss grey**Dimensions:** 1.123 x 50 x 67 mm**Weight:** 2.166 g**Installation:** Surface**TECHNICAL SPECIFICATIONS:**

Light output:	2.147 lm	°K :	4000
Plum:	20,1W	CRI :	80
Efficacy:	106,8 lm/w	MacAdam:	3
UGR:	<19	Power Supply:	220-240V 50/60Hz
Type:	MID POWER LED	Gear:	Adjustable DALI
LED Lifetime:	72.000 L80 B10 (Ta=25°C)		
Power:	18,1W		

Light output tolerance +/- 10%**CUSTOM MADE OPTIONS:**

PHOTOMETRIC DATA :



ACCESORIES :

Assembly



Product code:
ELWRST

Description:
ACC. ELECTROSTATICS WRIST STRAP



Product code:
F5COX/MMG
F5COX/MMW

Description:
FIL 50 ACC. COVER X/MM GR.
FIL 50 ACC. COVER X/MM WH.



Product code:
F5DIX/MMOP

Description:
FIL 50 ACC. OPAL DIFFUSER X/MM



Product code:
F5JO

Description:
ACC. INTM JOINT B



Product code:
F5JOROEDG
F5JOROEDW

Description:
FIL 50 ACC. SUS REV END COVER GR.
FIL 50 ACC. SUS REV END COVER WH.



Product code:
F5JOROIDG
F5JOROIDW

Description:
FIL 50 ACC. SUS REV INTM COVER GR.
FIL 50 ACC. SUS REV INTM COVER WH.



Product code:
F5PRSUX/MMG
F5PRSUX/MMW

Description:
FIL 50 ACC. SUS PROFIL X/MM GR.
FIL 50 ACC. SUS PROFIL X/MM WH.



Product code:
F5SFVCG
F5SFVCW

Description:
FIL 50 ACC. 90° WALL CORNER GR.
FIL 50 ACC. 90° WALL CORNER WH.



Product code:

F5SUECG

F5SUECW

Description:

FIL 50 ACC. SUS END COVER PC GR.

FIL 50 ACC. SUS END COVER PC WH.



Product code:

F5SUHCG

F5SUHCW

Description:

FIL 50 ACC. SUS 90° CORNER GR.

FIL 50 ACC. SUS 90° CORNER WH.

ACCESORIES :

Suspension



Product code:

SFRG41G

SFRG41W

Description:

ACC. SUR FIXING NK.

ACC. SUR FIXING WH.



Product code:

SUCAEMDEG

Description:

ACC. ELECMEC SUR FIXING GR.



Product code:

SUCAEMDEW

Description:

ACC. ELECMEC SUR FIXING WH.



Product code:

SUCARG0100G

SUCARG0250G

SUCARG0500G

SUCARG1000G

Description:

ACC. ELECMEC RIGID SUSP 100MM GR.

ACC. ELECMEC RIGID SUSP 250MM GR.

ACC. ELECMEC RIGID SUSP 500MM GR.

ACC. ELECMEC RIGID SUSP 1000MM GR.



Product code:

SUCARG0100W

SUCARG0250W

SUCARG0500W

SUCARG1000W

Description:

ACC. ELECMEC RIGID SUSP 100MM WH.

ACC. ELECMEC RIGID SUSP 250MM WH.

ACC. ELECMEC RIGID SUSP 500MM WH.

ACC. ELECMEC RIGID SUSP 1000MM WH.



Product code:

SUCAWI1000DG

SUCAWI4000DG

Description:

ACC. ELECMEC QUICK SUSP 1M 5P GR.

ACC. ELECMEC QUICK SUSP 4M 5P GR.



Product code:
SUCAWI1000DW
SUCAWI4000DW

Description:
ACC. ELECMEC QUICK SUSP 1M 5P WH.
ACC. ELECMEC QUICK SUSP 4M 5P WH.



Product code:
SURG0100W
SURG0250W
SURG0500W
SURG1000W

Description:
ACC. RIGID SUSP 100MM WH.
ACC. RIGID SUSP 250MM WH.
ACC. RIGID SUSP 500MM WH.
ACC. RIGID SUSP 1000MM WH.



Product code:
SURGJO41W

Description:
ACC. RIGID SUSP FIXING JOINT WH.




Product code:
SUWIDE1000G
SUWIDE4000G

Description:
ACC. QUICK STEEL CABLE 1M NK.
ACC. QUICK STEEL CABLE 4M NK.


ACCESSORIES :

Support



Product code:
ARRO13G

Description:
ACC. ADJ WALL ARM GR.




Product code:
ARRO13W

Description:
ACC. ADJ WALL ARM WH.



Product code:
ARROEX40G

Description:
ACC. ADJ EXTEN WALL ARM GR.



Product code:
ARROEX40W

Description:
ACC. ADJ EXTEN WALL ARM WH.

FIL 50




Product code:

F5FX75G
F5FX75W

Description:

ACC. WALL BRACKET 75MM GR.
ACC. WALL BRACKET 75MM WH.



Product code:

F5PRFXGR

Description:

FIL 50 ACC. PERP WALL BRACKET