Product datasheet

FIL 70




F71HCREHOOP840NG



FIL 70 CORNER OPAL REC 2200 NW GR.

Description:

Recessed luminaire 90° corner model FIL 70 CORNER OPAL REC 2200 NW GR., LAMP brand. Made of satin grey painted extruded aluminium with opal polycarbonate diffuser. Model for LED MID-POWER with neutral white colour temperature and control gear included. IP42, IK06 protection rating. Insulation class I. Photobiological safety group 0.



Finish: Gloss grey Weight: 1.500 g

Installation: Recessed

TECHNICAL SPECIFICATIONS:

Light output: 1.813 lm °K: 4000 16W Plum: CRI: 80 Efficacy: 113,3 lm/w MacAdam: 3

Type: MID POWER PHILIPS Power Supply: 220-240V 50/60Hz

LED Lifetime: 50.000 L80 B10 (Ta=25°C) Gear: Electronic

14W Power:

Light output tolerance +/- 10%



























CUSTOM MADE OPTIONS:




























FIL 70







FIL 70 CORNER OPAL REC 2200 NW GR.

PHOTOMETRIC DATA:







Product datasheet

FIL 70



ACCESORIES:

Assembly



Product code:

ELWRST



Product code:

F7JO

Description:

ACC. INTM JOINT



Product code:

Description:

F7REECG FIL 70 ACC. REC END COVER GR. F7REECW FIL 70 ACC. REC END COVER WH.

ACCESORIES:

Optical



Product code:

Description:

F7DIX/MMOP

FIL 70 ACC. OPAL DIFFUSER X/MM

ACC. ELECTROSTATICS WRIST STRAP