## **FIL 70**


## F71HCREHOOP840NW



## FIL 70 CORNER OPAL REC 2200 NW WH.

## Description:

Recessed luminaire 90° corner model FIL 70 CORNER OPAL REC 2200 NW WH., LAMP brand. Made of matt white painted extruded aluminium with opal polycarbonate diffuser. Model for LED MID-POWER with neutral white colour temperature and control gear included. IP43, IK06 protection rating. Insulation class I. Photobiological safety group 0. Environmental Product Declaration - EPD®available, according to UNE-EN ISO 9001:2015 and UNE-EN ISO 14001:2015.



Finish: Matte white RAL 9010

Weight: 1.500 g

Installation: Recessed

## **TECHNICAL SPECIFICATIONS:**

Light output: 1.813 lm °K: 4000 Plum: 16W CRI: 80 Efficacy: 113,3 lm/w 3 MacAdam:

Type: MID POWER LED Power Supply: 220-240V 50/60Hz

LED Lifetime: 50.000 L80 B10 (Ta=25°C) Gear: Electronic

14W Power:

## Light output tolerance +/- 10%



CLASE



























# **CUSTOM MADE OPTIONS:**









Data according to regulations 2019/2020/EU and 2019/2015/EU


















## **FIL 70**


## F71HCREHOOP840NW




## FIL 70 CORNER OPAL REC 2200 NW WH.

## **PHOTOMETRIC DATA:**







## **Product datasheet**

## **FIL 70**



# ACCESORIES:

# **Assembly**



Product code:

ELWRST



ACC. ELECTROSTATICS WRIST STRAP



Product code:

F7JO

Description:

ACC. INTM JOINT



Product code:

Description:

F7REECG FIL 70 ACC. REC END COVER GR. F7REECW FIL 70 ACC. REC END COVER WH.

## **ACCESORIES:**

## Optical



Product code:

Description:

F7DIX/MMOP FIL 70 ACC. OPAL DIFFUSER X/MM