

F71RE100LOTA830DW




FIL 70 TECH ASYM REC 1M 1600 WW DA WH

Description:

Recessed luminaire FIL 70 TECH ASYM REC 1M 1600 WW DA WH., LAMP brand. Made of satin white painted extruded aluminium with REDIL® OPTICS. Model for LED MID-POWER with warm white colour temperature and DALI electronic control gear included. Insulation class I. Environmental Product Declaration - EPD@available, according to UNE-EN ISO 9001:2015 and UNE-EN ISO 14001:2015.

Finish: Matte white RAL 9010

Dimensions: 1.000 x 70 x 70 mm

Weight: 2.516 g

Installation: Recessed

Recessing measures: 1,012 x 78 x 85 mm
TECHNICAL SPECIFICATIONS:
Light output: 1.388 lm

°K : 3000

Plum: 14,5W

CRI : 80

Efficacy: 95,7 lm/w

MacAdam: 3

UGR: <19


Power Supply: 220-240V 50/60Hz

Type: MID POWER LED


Gear: Adjustable DALI

LED Lifetime: 50.000 L80 B10 (Ta=25°C)

Power: 12W

Light output tolerance +/- 10%
**CUSTOM MADE OPTIONS:**

PHOTOMETRIC DATA :



ACCESORIES :
Assembly



Product code:
ELWRST

Description:
ACC. ELECTROSTATICS WRIST STRAP



Product code:
F7COSUX/MMG
F7COSUX/MMW

Description:
FIL 70 ACC. COVER X/MM GR.
FIL 70 ACC. COVER X/MM WH.



Product code:
F7JO

Description:
ACC. INTM JOINT



Product code:
F7PRREX/MMG
F7PRREX/MMW

Description:
FIL 70 ACC. REC PROFILE X/MM GR.
FIL 70 ACC. REC PROFILE X/MM WH.



Product code:
F7REECG
F7REECW

Description:
FIL 70 ACC. REC END COVER GR.
FIL 70 ACC. REC END COVER WH.



Product code:
F7TEREHCG
F7TEREHCW

Description:
FIL 70 TECH ACC. REC 90° CORNER GR.
FIL 70 TECH ACC. REC 90° CORNER WH.