

F71RE100LOTA830NW



FIL 70 TECH ASYM REC 1M 1600 WW WH.


Description:

Recessed luminaire FIL 70 TECH ASYM REC 1M 1600 WW WH., LAMP brand. Made of matt white painted extruded aluminium with REDIL® OPTICS. Model for LED MID-POWER with warm white colour temperature and electronic control gear included. Insulation class I. Environmental Product Declaration - EPD@available, according to UNE-EN ISO 9001:2015 and UNE-EN ISO 14001:2015.

Finish: Matte white RAL 9010

Dimensions: 1.000 x 70 x 70 mm

Weight: 2.516 g




Installation: Recessed

Recessing measures: 1,012 x 78 x 85 mm

TECHNICAL SPECIFICATIONS:

Light output:	1.388 lm	°K :	3000
Plum:	14,5W	CRI :	80
Efficacy:	95,7 lm/w	MacAdam:	3
UGR:	<19	Power Supply:	220-240V 50/60Hz
Type:	MID POWER LED	Gear:	Electronic
LED Lifetime:	50.000 L80 B10 (Ta=25°C)		
Power:	12W		


Light output tolerance +/- 10%



CUSTOM MADE OPTIONS:



PHOTOMETRIC DATA :




ACCESORIES :  
Assembly



**Product code:**  
ELWRST

**Description:**  
ACC. ELECTROSTATICS WRIST STRAP



**Product code:**  
F7COSUX/MMG  
F7COSUX/MMW

**Description:**  
FIL 70 ACC. COVER X/MM GR.  
FIL 70 ACC. COVER X/MM WH.



**Product code:**  
F7JO

**Description:**  
ACC. INTM JOINT



**Product code:**  
F7PRREX/MMG  
F7PRREX/MMW

**Description:**  
FIL 70 ACC. REC PROFILE X/MM GR.  
FIL 70 ACC. REC PROFILE X/MM WH.



**Product code:**  
F7REECG  
F7REECW

**Description:**  
FIL 70 ACC. REC END COVER GR.  
FIL 70 ACC. REC END COVER WH.



**Product code:**  
F7TEREHCG  
F7TEREHCW

**Description:**  
FIL 70 TECH ACC. REC 90° CORNER GR.  
FIL 70 TECH ACC. REC 90° CORNER WH.