


F71RE100LOTA840DW


**FIL 70 TECH ASYM REC 1M 1600 NW DA WH**
**Description:**

Recessed luminaire FIL 70 TECH ASYM REC 1M 1600 NW DA WH., LAMP brand. Made of satin white painted extruded aluminium with REDIL® OPTICS. Model for LED MID-POWER with neutral white colour temperature and DALI electronic control gear included. Insulation class I. Environmental Product Declaration - EPD@available, according to UNE-EN ISO 9001:2015 and UNE-EN ISO 14001:2015.

**Finish:** Matte white RAL 9010

**Dimensions:** 1.000 x 70 x 70 mm

**Weight:** 2.516 g

**Installation:** Recessed

**Recessing measures:** 1,012 x 78 x 85 mm

**TECHNICAL SPECIFICATIONS:**
**Light output:** 1.388 lm

**°K :** 4000

**Plum:** 14,5W

**CRI :** 80

**Efficacy:** 95,7 lm/w

**MacAdam:** 3

**UGR:** <19


**Power Supply:** 220-240V 50/60Hz

**Type:** MID POWER LED


**Gear:** Adjustable DALI

**LED Lifetime:** 50.000 L80 B10 (Ta=25°C)

**Power:** 12W

*Light output tolerance +/- 10%*

**CUSTOM MADE OPTIONS:**


PHOTOMETRIC DATA :



ACCESORIES :  
Assembly



**Product code:**  
ELWRST

**Description:**  
ACC. ELECTROSTATICS WRIST STRAP



**Product code:**  
F7COSUX/MMG  
F7COSUX/MMW

**Description:**  
FIL 70 ACC. COVER X/MM GR.  
FIL 70 ACC. COVER X/MM WH.



**Product code:**  
F7JO

**Description:**  
ACC. INTM JOINT



**Product code:**  
F7PRREX/MMG  
F7PRREX/MMW

**Description:**  
FIL 70 ACC. REC PROFILE X/MM GR.  
FIL 70 ACC. REC PROFILE X/MM WH.



**Product code:**  
F7REECG  
F7REECW

**Description:**  
FIL 70 ACC. REC END COVER GR.  
FIL 70 ACC. REC END COVER WH.



**Product code:**  
F7TEREHCG  
F7TEREHCW

**Description:**  
FIL 70 TECH ACC. REC 90° CORNER GR.  
FIL 70 TECH ACC. REC 90° CORNER WH.