FIL 70 TECH

F71RE100MOTA840DG




FIL 70 TECH ASYM REC 1M 3200 NW DA GR

Description:

Recessed luminaire FIL 70 TECH ASYM REC 1M 1600 NW DA GR., LAMP brand. Made of satin grey painted extruded aluminium with REDIL® OPTICS. Model for LED MID-POWER with neutral white colour temperature and DALI electronic control gear included. Insulation class I. Environmental Product Declaration - EPD®available, according to UNE-EN ISO 9001:2015 and UNE-EN ISO 14001:2015.

Finish: Gloss grey

Dimensions: 1.000 x 70 x 70 mm Weight: 2.516 g



Installation: Recessed

1,012 x 78 x 85 mm Recessing measures:

TECHNICAL SPECIFICATIONS:

Light output: 2.032 lm °K: 4000 Plum: 23,6W CRI: 80 Efficacy: 86,1 lm/w 3 MacAdam:

UGR: <19

Type: MID POWER LED Gear: Adjustable DALI

LED Lifetime: 50.000 L80 B10 (Ta=25°C)

Power: 21W

Light output tolerance +/- 10%































CUSTOM MADE OPTIONS:









Data according to regulations 2019/2020/EU and 2019/2015/EU











Power Supply:





220-240V 50/60Hz

FIL 70 TECH






PHOTOMETRIC DATA:

F71RE100MOTA840DG

14740313 η = 100% Imax = 949 cd/kIm Imax = 949 cd/kIm Imax = 1,00B + 0,00T Imax CIE: 71 98 100 100 100



FIL 70 TECH



ACCESORIES:

Assembly



Product code:

ELWRST

Description:

ACC. ELECTROSTATICS WRIST STRAP



Product code:

F7COSUX/MMG F7COSUX/MMW

Description:

FIL 70 ACC. COVER X/MM GR. FIL 70 ACC. COVER X/MM WH.



Product code:

F7JO

Description:

ACC. INTM JOINT



Product code:

F7PRREX/MMG F7PRREX/MMW

Description:

FIL 70 ACC. REC PROFILE X/MM GR. FIL 70 ACC. REC PROFILE X/MM WH.



Product code:

F7REECG F7REECW

Description:

FIL 70 ACC. REC END COVER GR. FIL 70 ACC. REC END COVER WH.



Product code:

F7TEREHCG F7TEREHCW

Description:

FIL 70 TECH ACC. REC 90° CORNER GR. FIL 70 TECH ACC. REC 90° CORNER WH.

Data according to regulations 2019/2020/EU and 2019/2015/EU