

F71RE100MOTA840DW




FIL 70 TECH ASYM REC 1M 3200 NW DA WH

Description:

Recessed luminaire FIL 70 TECH ASYM REC 1M 1600 NW DA WH, LAMP brand. Made of satin white painted extruded aluminium with REDIL® OPTICS. Model for LED MID-POWER with neutral white colour temperature and DALI electronic control gear included. Insulation class I. Environmental Product Declaration - EPD®available, according to UNE-EN ISO 9001:2015 and UNE-EN ISO 14001:2015.


Finish: Matte white RAL 9010

Dimensions: 1.000 x 70 x 70 mm


Weight: 2.516 g

Installation: Recessed

Recessing measures: 1,012 x 78 x 85 mm
TECHNICAL SPECIFICATIONS:

Light output:	2.032 lm	°K :	4000
Plum:	23,6W	CRI :	80
Efficacy:	86,1 lm/w	MacAdam:	3
UGR:	<19	Power Supply:	220-240V 50/60Hz
Type:	MID POWER LED	Gear:	Adjustable DALI
LED Lifetime:	50.000 L80 B10 (Ta=25°C)		
Power:	21W		

Light output tolerance +/- 10%
**CUSTOM MADE OPTIONS:**

PHOTOMETRIC DATA :




ACCESORIES :
Assembly



Product code:
ELWRST

Description:
ACC. ELECTROSTATICS WRIST STRAP




Product code:
F7COSUX/MMG
F7COSUX/MMW

Description:
FIL 70 ACC. COVER X/MM GR.
FIL 70 ACC. COVER X/MM WH.




Product code:
F7JO

Description:
ACC. INTM JOINT




Product code:
F7PRREX/MMG
F7PRREX/MMW

Description:
FIL 70 ACC. REC PROFILE X/MM GR.
FIL 70 ACC. REC PROFILE X/MM WH.



Product code:
F7REECG
F7REECW

Description:
FIL 70 ACC. REC END COVER GR.
FIL 70 ACC. REC END COVER WH.



Product code:
F7TEREHCG
F7TEREHCW

Description:
FIL 70 TECH ACC. REC 90° CORNER GR.
FIL 70 TECH ACC. REC 90° CORNER WH.