Product datasheet

FIL 70 TECH

F71RE100MOTS830DG





Description:

Finish:

Recessed structure model FIL 70 TECH REC 1M 3200 WW DALI GR., LAMP brand. Made of satin grey painted extruded aluminium. Model for MID-POWER LED with warm white colour temperature and control DALI gear included, which consists of a two-phase reflection. Insulation class I. Photobiological safety group 0. Environmental Product Declaration - EPD®available, according to UNE-EN ISO 9001:2015 and UNE-EN ISO 14001:2015.



Gloss grey 1.000 x 70 x 70 mm Dimensions:

Weight: 2.124 g

Installation: Recessed

1,012 x 78 x 85 mm **Recessing measures:**

TECHNICAL SPECIFICATIONS:

Light output:	2.400 lm	⁰K :	3000	
Plum:	23,6W	CRI :	80	
Efficacy:	101,6 lm/w	MacAdam:	3	
UGR:	<19	Power Supply:	220-240V 50/60Hz	
Туре:	MID POWER LED	Gear:	Adjustable DALI	
LED Lifetime:	50.000 L80 B10 (Ta=25°C)			
Power:	21W			

Light output tolerance +/- 10%



CUSTOM MADE OPTIONS:



LAMP reserves the right to change the technical specifications of their products. These changes will allow the continual improvement of the products and will also ensure the conformity to current legal changes. Updated information is always available in our website www.lamp.es

Worktitude for light

FIL 70 TECH

F71RE100MOTS830DG

FIL 70 TECH REC 1M 3200 WW DALI GR.



PHOTOMETRIC DATA :

4740203	180°	alpha = 81,0°	H (m)	D (m)	Emax	Emed
η = 100%			1	1,71	1861	1116
lmax = 716 cd/klm						
UTE: 1,00A	90° 90°		2	3,42	465	279
CIE: 85 100 100 100 100						
			3	5,13	207	124
	0°		4	6,84	116	70

Product datasheet

FIL 70 TECH

ACCESORIES :

Assembly



Product code: ELWRST

Description: ACC. ELECTROSTATICS WRIST STRAP

FIL 70 ACC. REC END COVER GR.

FIL 70 ACC. REC END COVER WH.



Product code: F7JO

Product code:

F7TEREHCG

F7TEREHCW

10 cr



Description:

FIL 70 TECH ACC. REC 90° CORNER GR.

FIL 70 TECH ACC. REC 90° CORNER WH.



Product code: F7REECG F7REECW

ACCESORIES :



Product code: DIOPST1000

ACC. DIF. SOFT TECH OPAL



Description:

Description: