Product datasheet

FIL 70 TECH

F71RE100MOTS830NW



FIL 70 TECH REC 1M 3200 WW WH.

Description:

Recessed structure model FIL 70 TECH REC 1M 3200 WW WH., LAMP brand. Made of matt white painted extruded aluminium. Model for MID-POWER LED with warm white colour temperature and control gear included, which consists of a two-phase reflection. Insulation class I. Photobiological safety group 0.



Finish: Matte white RAL 9010

1.000 x 70 x 70 mm Dimensions: Weight: 2.124 g

Installation: Recessed

1,012 x 78 x 85 mm Recessing measures:

TECHNICAL SPECIFICATIONS:

Light output: 2.400 lm °K: 3000 Plum: 23,6W CRI: 80 Efficacy: 101,6 lm/w 3 MacAdam:

UGR: <19

Type: MID POWER LED

LED Lifetime: 50.000 L80 B10 (Ta=25°C)

Power: 21W

Light output tolerance +/- 10%





























CUSTOM MADE OPTIONS:





















Power Supply:

Gear:





220-240V 50/60Hz

Electronic






FIL 70 TECH





F71RE100MOTS830NW

FIL 70 TECH REC 1M 3200 WW WH.

PHOTOMETRIC DATA:







H (m)	D (m)	Emax	Emed
1	1,71	1861	1116
2	3,42	465	279
3	5,13	207	124
4	6,84	116	70

Data according to regulations 2019/2020/EU and 2019/2015/EU

FIL 70 TECH



ACCESORIES:

Assembly



Product code:

ELWRST



ACC. ELECTROSTATICS WRIST STRAP



Product code:

F7J0



ACC. INTM JOINT



Product code:

F7REECG F7REECW

Description:

FIL 70 ACC. REC END COVER GR. FIL 70 ACC. REC END COVER WH.



Product code:

F7TEREHCG F7TEREHCW

Description:

FIL 70 TECH ACC. REC 90° CORNER GR.
FIL 70 TECH ACC. REC 90° CORNER WH.

ACCESORIES:

Optical



Product code:

Description:

DIOPST1000 ACC. DIF. SOFT TECH OPAL